

VORTEX
VORTEX®
2026 CATALOG



WELCOME TO VORTEX NATION™

When you spot a Vortex® logo, it says something.

More than great optics and gear, it says you value some things — hunting and shooting, public lands, backing veterans, and showing up.

You may not know the person wearing it, but you know where they stand. They're the kind happy to help someone at the range. Swap experience at a trailhead parking lot. Share what works — with no pitch, no ego.

Whether it's a fellow hunter in the field or a call to Vortex®, it's the same idea. You're part of something bigger, and you're never on your own.

And if your gear goes sideways — or you're stuck figuring out how to use it — it's not only about a warranty. It's about talking to a real person who meets you where you are and helps make it right.

Vortex Nation™ means you're not out there alone.

It's not just about where you're headed. It's who goes with you — and who's got your back when it matters.

THIS ISN'T A NEWSLETTER. IT'S A HANDSHAKE.

Scan to receive our newsletter — hunting, shooting knowledge, and the occasional heads-up you'll actually want.

TABLE OF CONTENTS

NEW FOR 2026
4 New Product Highlight

VORTEX® GOLF
10 Vortex® Golf

VORTEX® EYEWEAR
11 Vortex® Eyewear

RIFLESCOPES
14 AMG®
16 Razor® HD Gen III
17 Razor® HD Gen II
17 Razor® HD Gen II-E
18 Razor® HD LHT™
19 Viper® HD
20 Golden Eagle® HD
20 Viper® PST™ Gen II
21 Viper®
21 Strike Eagle®
22 Venom®
23 Diamondback® Tactical
23 Diamondback®
24 Crossfire® HD
25 Crossfire® II
25 Triumph™ HD
26 Riflescope Accessories
28 Riflescope Specifications
32 Reticles

RED DOTS
40 AMG® UH-1® Gen II
41 Strikefire® II
41 Crossfire®
42 Viper® Shotgun Enclosed
43 Spitfire™ HD Gen II
43 Spitfire™ AR
44 Defender-ST™ Enclosed
44 Defender-CCW™ Enclosed
46 Defender-XL™
46 Defender-ST™
47 Defender-CCW™
47 Venom® Enclosed
48 Red Dot Accessories
50 Red Dot Specifications

BINOCULARS
54 Razor® UHD
55 Razor® HD
55 Kaibab® HD
56 Viper® HD
57 Diamondback® HD
57 Crossfire® HD
58 Triumph® HD
58 Bantam® HD
59 Vanquish®
59 Raptor™
60 Binocular Accessories
62 Binocular Specifications

VORTEX RELAY™ DEVICES
67 Ace™
68 Talon® HD 10K
69 Impact® 4000

GEOBALLISTICS®
73 GeoBallistics®

LASER RANGEFINDERS
72 Razor® HD 4000 GB
73 Razor® HD 4000
74 Viper® HD 3000
74 Diamondback® HD 2000
75 Crossfire® HD 1400
75 Triumph™ HD 850
76 Ranger® HD 3000
78 Laser Rangefinder Specifications
79 Golf Laser Rangefinders

MONOCULARS
82 Recon® R/T
82 RECCE Pro® HD
82 Solo® R/T
82 Solo®
83 Monocular Specifications

SPOTTING SCOPES
86 Razor® HD
87 Viper® HD
88 Diamondback® HD
88 Crossfire® HD
89 Spotting Scope Specifications

TRIPODS
92 Radian™ Carbon
92 Switchback™ Carbon
93 Ridgeview™ Carbon
93 Summit™ Carbon II
94 High Country™ II
94 Mountain Pass™
95 Tripod Accessories
95 Tripod Specifications

NEW FOR 2026

AMG®
1-10x24 FFP RIFLESCOPE

PAGE 14

ENGINEERED FOR MASTERY
YOU NEVER DREAMED POSSIBLE

Engineered with input from elite operators. Made to perform where nothing else can.
Meet the AMG® 1-10x24 FFP.

VORTEX RELAY™ NETWORK
AN UNBREAKABLE CONNECTION FOR UNSHAKEABLE CONFIDENCE.

For hunters, precision competitors, and long-range shooters, this is how gear starts working together. Range, wind, and your ballistic solution are shared instantly across Vortex Relay™ enabled devices. Connected when you need it. Independent when you don't, so you can shoot faster and with more confidence.



IMPACT® 4000
BALLISTIC RAIL-MOUNTED LASER RANGEFINDER

PAGE 69

GEOBALLISTICS®
APP

PAGE 73

ACE™
BALLISTIC WEATHER METER

PAGE 67

TALON® HD 10K
BALLISTIC LASER RANGEFINDING BINOCULAR

PAGE 68

NEW FOR 2026

CROSSFIRE® HD
2-7x32 RIFLESCOPE
PAGE 24

CROSSFIRE® HD
1.5-5.5x32 SCOUT RIFLESCOPE
PAGE 24

CROSSFIRE® HD
3-9x40 RIFLESCOPE
PAGE 24

CROSSFIRE® HD
1-4x24 RIFLESCOPE
PAGE 24

CROSSFIRE® HD
6-18x50 RIFLESCOPE
PAGE 24

CROSSFIRE® HD
4-12x44 RIFLESCOPE
PAGE 24

RANGER® HD 3000
10x42 LASER RANGEFINDING BINOCULAR
PAGE 76

TRIUMPH™ HD 850
LASER RANGEFINDER
PAGE 75

TRIUMPH™ HD
3-9x40 RIFLESCOPE
PAGE 25

SEE ALL NEW CROSSFIRE® HD RIFLESCOPES ON PAGE 24.

NEW FOR 2026

DEFENDER-ST™
ENCLOSED SOLAR MICRO RED DOT
PAGE 44

DEFENDER-CCW™
ENCLOSED SOLAR MICRO RED DOT
PAGE 44

VENOM® BUNDLE
PAGE 22

RAZOR® HD GEN III
4-24x44 FFP RIFLESCOPE
PAGE 16

VENOM®
ENCLOSED MICRO RED DOT
PAGE 47

VENOM® + SPORT MOUNT BUNDLE
PAGE 22

DEFENDER-ST™
MICRO RED DOT - TAN
PAGE 46

DEFENDER-XL™
MICRO RED DOT - TAN
PAGE 46

DEFENDER-CCW™
MICRO RED DOT - TAN
PAGE 47





SAME VORTEX®

Different game.

SCAN TO SWING BY VORTEX® GOLF

TURN TO PAGE 79 TO LEARN MORE ABOUT VORTEX® GOLF LASER RANGEFINDERS

FROM RANGE DAY TO EVERYDAY

VORTEX® EYEWEAR



SCAN TO LEARN ABOUT EYEWEAR





RIFLESCOPES











MIL/LE

AMG®
RIFLESCOPE

HELD TO THE STANDARDS OF THOSE WHO HOLD THE LINE.

Born from the demands of the world's most elite operators, the AMG® 1-10x24 was conceived to meet a standard that didn't exist, until now. Compact enough to run on short-barreled carbines without sacrificing optical clarity — and still leave room on your rail for thermal clip-ons, laser aiming modules, offset red dots and backup irons. Tough enough to survive what crushed everything else. Patented internals and structural innovations, every ounce engineered with purpose for those who've outgrown everything else.

- CLASS-LEADING HD OPTICAL SYSTEM
- FIRST FOCAL PLANE
- DUAL ZERO TURRETS
- TOOLLESS TURRETS
- INTEGRATED THROW LEVER
- MADE IN USA WITH US AND GLOBAL PARTS



EBR-9 MRAD



1-10x24
EBR-9 MRAD (FFP) AMG-11002 NEW!





PRECISION LONG-RANGE | COMPETITION | MIL/LE

RAZOR® HD GEN III
RIFLESCOPES

EVERYTHING IS IN RANGE.

Razor® HD Gen III delivers the professional-grade performance you need when victory rides on a single shot. Trusted by MIL/LE operators and advanced competitors, it offers unmatched durability, enhanced low-light clarity, and long-range capability that's second to none. Built with an elite optical design, Razor® HD Gen III stands ready for the most demanding tactical environments.

- CLASS-LEADING HD OPTICAL SYSTEM
- FIRST FOCAL PLANE
- DAYLIGHT BRIGHT ILLUMINATION*
- LOCKING ILLUMINATION DIAL
- L-TEC+™ ZERO SYSTEM*
- ANODIZED STEALTH SHADOW® FINISH



EBR-7D MRAD | EBR-7D MOA | EBR-9 MRAD | EBR-9 BDC MOA

*On select models



1-10x24

EBR-9 MRAD (FFP)	RZR-11002
EBR-9 BDC MOA (FFP)	RZR-11001



6-36x56

EBR-7D MRAD (FFP)	RZR-63602
EBR-7D MOA (FFP)	RZR-63601



4-24x44

EBR-7D MRAD (FFP)	RZR-42402 NEW!
EBR-7D MOA (FFP)	RZR-42401 NEW!




PRECISION LONG-RANGE | COMPETITION | MIL/LE

RAZOR® HD GEN II
RIFLESCOPES

STRETCH YOUR LIMITS. MAKE DISTANCE DISAPPEAR.

Razor® HD Gen II delivers top-tier performance trusted by professional and competitive shooters. Powerful magnification. Superior resolution, clarity, and contrast. Robust locking turrets for crisp, tactile feedback and precise adjustments you can count on. Designed for extreme long-range precision and reliability when second place isn't an option, it ensures accuracy shot after shot in any conditions.

- HD OPTICAL SYSTEM
- FIRST FOCAL PLANE
- LOCKING ILLUMINATION DIAL
- L-TEC™ ZERO SYSTEM
- ANODIZED STEALTH SHADOW® FINISH



EBR-7D MRAD | EBR-7D MOA | HORUS™ H59™ MRAD | HORUS™ TREMOR3™ MRAD



4.5-27x56

HORUS™ H59™ MRAD (FFP)	RZR-42709
HORUS™ TREMOR3™ MRAD (FFP)	RZR-42710
EBR-7C MRAD (FFP)	RZR-42708
EBR-7C MOA (FFP)	RZR-42707



COMPETITION | MIL/LE

RAZOR® HD GEN II-E
RIFLESCOPES

THE 'E' IS SILENT.

Razor® HD Gen II-E delivers enhanced performance in a lightweight, streamlined package for MIL/LE professionals and competitive shooters. Top-tier precision. Faster handling. Designed for those who demand superior optical clarity and mobility in high-speed, high-pressure engagements. Ready to dominate close-quarters and mid-range scenarios, the Razor® HD Gen II-E is built for the highest-level of performance — without compromise.

- HD OPTICAL SYSTEM
- DAYLIGHT BRIGHT ILLUMINATION
- LOCKING ILLUMINATION DIAL
- ANODIZED STEALTH SHADOW® FINISH
- 30mm MAIN TUBE



JM-1 BDC MOA* | VMR-2 MRAD* | VMR-2 MOA*

*Center dot illumination



1-6x24

VMR-2 MRAD (SFP)	RZR-16009
VMR-2 MOA (SFP)	RZR-16010
JM-1 BDC MOA (SFP)	RZR-16008



RAZOR® HD LHT™
RIFLESCOPES

BUILT FOR THE LONG RANGE AND THE LONG HAUL.

From the mountains to open country, the Razor® HD LHT™ is the precision riflescope you need to make distant shots feel easy. Stunning HD clarity and enhanced contrast reveal every detail, from counting kickers on a buck in dark timber or locking onto a tuft of shoulder hair over the vitals of an elk. Lightweight yet rugged, with push-button illumination and a rock-solid zero system, this top-of-the-line optic gives you the edge in the moments that matter most.

- HD OPTICAL SYSTEM
- ULTRA-LIGHTWEIGHT DESIGN
- EXPOSED LOCKING ELEVATION TURRET
- PUSH-BUTTON ILLUMINATION
- REVSTOP® ZERO SYSTEM
- 30mm MAIN TUBE



*Center dot illumination



3-15x42
HSR-5i MRAD (SFP) RZR-31502
HSR-5i MOA (SFP) RZR-31501



3-15x50
G4i BDC MRAD (SFP) RZR-31503



4.5-22x50
XLR-2 MRAD (FFP) RZR-42202
XLR-2 MOA (FFP) RZR-42201




VIPER® HD
RIFLESCOPES

TAKE YOUR PLACE AT THE TOP OF THE FOOD CHAIN.

When success rides on the perfect shot, rely on the exceptional versatility and optical performance of Viper® HD. From predators to big game, river bottoms to the Rockies, there's a field-proven configuration for every hunting application. Ultra-rugged. Remarkably adaptable. Each member of the Viper® HD family delivers outstanding image clarity, resolution, and sharpness to ensure your target comes into view with sharp detail. Viper® HD also boasts enhanced features for unmatched accuracy at extended ranges while also excelling in the low light of dawn and dusk when game is most active.

- HD OPTICAL SYSTEM
- EXPOSED LOCKING ELEVATION TURRET*
- PUSH-BUTTON ILLUMINATION
- REVSTOP® ZERO SYSTEM*
- 30mm MAIN TUBE

*On select models
**Center dot illumination





2-10x42 SFP
DEAD-HOLD® BDC MOA (SFP) VPR-21001




3-15x44
DEAD-HOLD® BDC MOA (SFP) VPR-31501



3-15x44
VMR-3 MRAD (SFP) VPR-31503
VMR-3 MOA (SFP) VPR-31502



5-25x50
VMR-4 MRAD (FFP) VPR-52502
VMR-4 MOA (FFP) VPR-52501
VMR-3 MRAD (SFP) VPR-52504
VMR-3 MOA (SFP) VPR-52503






GOLDEN EAGLE® HD
RIFLESCOPES

REDEFINE YOUR EFFECTIVE RANGE.

Built for F-Class and Bench Rest shooters gunning for gold. The Golden Eagle® HD is engineered for tack-driving accuracy at extreme distances. Super-sharp resolution, powerful magnification, and fine second focal plane reticles bring long-range targets into crystal-clear focus. At just 29.7 ounces, it meets strict competition weight limits, delivering the precision, consistency, and confidence to take on any shot.

F-CLASS/BENCH REST SHOOTING

- HD OPTICAL SYSTEM
- APERTURE STOP RING
- TALL EXPOSED TURRETS
- EXTREMELY FINE SECOND FOCAL PLANE RETICLES
- ULTRA-PRECISE 1/8 MOA ADJUSTMENTS



ECR-1 MOA

SCR-1 MOA



15-60x52

ECR-1 MOA (SFP)	TCS-1503
SCR-1 MOA (SFP)	TCS-1501



ASR (APERTURE STOP RING)
Broadens the depth of field allowing the shooter to more easily observe down-range mirage and other wind indicators while keeping the target in focus.



WINDAGE TURRET
The Golden Eagle® HD comes with an optional 10 MOA windage turret for dialing a full 10 MOA revolution before the scale repeats.



VIPER®
RIFLESCOPES

PROVEN IN THE ONLY LAB THAT MATTERS.

Whether you're hunting Western big game, predators, or varmints, the Viper® 6.5-20x50 provides exceptional accuracy and control for ethical shots at medium to extended ranges. Its ultra-rugged construction withstands harsh weather and rough handling, ensuring reliable performance when you need it. A high magnification range, advanced second focal plane reticle, and outstanding optical clarity combine to deliver sharp target identification and hairsplitting shots at any distance.

VARMINT HUNTING **WESTERN HUNTING**

- XD™ OPTICAL SYSTEM
- CAPPED TURRETS
- ADJUSTABLE PARALLAX
- 30mm MAIN TUBE



DEAD-HOLD® BDC MOA



MIL DOT MOA*

*MRAD Reticle/MOA Turrets



6.5-20x50

DEAD-HOLD® BDC MOA (SFP)	VPR-M-06BDC
MIL DOT MOA* (SFP)	VPR-M-06MD



VIPER® PST™ GEN II
RIFLESCOPES

WHEN ALL ELSE FAILS, THIS WON'T.

When every millisecond and millimeter matter, the Viper® PST™ Gen II delivers dependable precision trusted by competitors and MIL/LE professionals. Crisp turret adjustments. Striking clarity at every magnification. Fully loaded with features for serious tactical performance, Viper® PST™ Gen II is your next step in mastering precision shooting—because when it matters most, nothing less will do.

PRECISION LONG-RANGE **COMPETITION** **MIL/LE**

- XD™ OPTICAL SYSTEM
- ILLUMINATED RETICLE
- RZR™ ZERO SYSTEM*
- 30mm MAIN TUBE

*On select models
**Center dot illumination



EBR-4 MRAD



EBR-4 MOA



EBR-7C MRAD



EBR-7C MOA



VMR-2 MOA**



VMR-2 MRAD**



1-6x24

VMR-2 MRAD (SFP)	PST-1607
VMR-2 MOA (SFP)	PST-1605



2-10x32

EBR-4 MRAD (FFP)	PST-2105
EBR-4 MOA (FFP)	PST-2101



3-15x44

EBR-7C MRAD (FFP)	PST-3159
EBR-7C MOA (FFP)	PST-3156
EBR-4 MOA (SFP)	PST-3151



5-25x50

EBR-7C MRAD (FFP)	PST-5259
EBR-7C MOA (FFP)	PST-5256
EBR-4 MOA (SFP)	PST-5251



STRIKE EAGLE®
RIFLESCOPES

PREPARE FOR IMMEDIATE IMPACT.

Strike Eagle® is your tactical powerhouse, delivering the versatility and optical performance to propel your shooting game higher. Rugged construction, great glass, advanced features—all to help you excel whether you're run-and-gun shooting or engaging targets out to 1,000 yards. Strike Eagle® adapts to every challenge, driving your skills to places you never thought possible.

LONG-RANGE SHOOTING **COMPETITION** **RECREATIONAL SHOOTING**

- XD™ OPTICAL SYSTEM
- FIRST FOCAL PLANE*
- EXPOSED LOCKING ELEVATION TURRET*
- ILLUMINATED RETICLE
- REVSTOP® ZERO SYSTEM*

*On select models



AR-BDC3 MOA



EBR-7C MRAD



EBR-7C MOA



EBR-8 BDC MOA



1-8x24

AR-BDC3 MOA (SFP)	SE-1824-2



1-8x24

EBR-8 BDC MOA (FFP)	SE-1801



3-18x44

EBR-7C MRAD (FFP)	SE-31802
EBR-7C MOA (FFP)	SE-31801



5-25x56

EBR-7C MRAD (FFP)	SE-52504
EBR-7C MOA (FFP)	SE-52503





LONG-RANGE SHOOTING | RECREATIONAL SHOOTING

VENOM®
RIFLESCOPES

DARE TO DISCOVER HOW FAST AND ACCURATE YOU CAN BE.

Venom® is your bridge to long-range accuracy and tactical success — a workhorse optic that turns effort into results. Solid construction. Great glass quality with clarity and contrast that keeps you focused in any environment, whether you're locking onto close-quarters targets or stretching your limits at range. Built for shooters who need reliability, speed, and accuracy under pressure, its lineup delivers a perfect blend of utility and performance — getting you in the game and pushing you further with every shot.



1-6x24
AR-BDC3 MOA (SFP) VEN-1601



3-15x44
EBR-7C MRAD (FFP) VEN-31502
EBR-7C MOA (FFP) VEN-31501



5-25x56
EBR-7C MRAD (FFP) VEN-52502
EBR-7C MOA (FFP) VEN-52501



VENOM® + SPORT MOUNT BUNDLE
AR-BDC3 MOA (SFP) BNDL-VEN1601-SCM NEW!



VENOM® BUNDLE
AR-BDC3 MOA (SFP) BNDL-VEN1601-VENMRD3-MTS NEW!

- XD™ OPTICAL SYSTEM
- FIRST FOCAL PLANE*
- REVSTOP® ZERO SYSTEM*

*On select models



AR-BDC3 MOA



EBR-7C MRAD



EBR-7C MOA



LONG-RANGE SHOOTING | RECREATIONAL SHOOTING

- XD™ OPTICAL SYSTEM
- FIRST FOCAL PLANE*
- EXPOSED TURRETS

*On select models



EBR-2C MRAD



EBR-2C MOA



VMR-1 MOA

DIAMONDBACK® TACTICAL
RIFLESCOPES

BEAT THE WIND, GRAVITY, AND YOUR PERSONAL BEST.

Diamondback® Tactical brings the hardworking legacy of the Diamondback® name into the tactical world, delivering trusted performance for shooters looking to extend their effective range. With solid construction and sharp, clear glass, it keeps you focused whether dialing in for mid-range shots or stretching out to 1,000 yards. Meant for new shooters seeking confidence in their windage and elevation adjustments. It's tough enough to withstand hard use while delivering tack-driving accuracy, shot after shot.



4-12x40
VMR-1 MOA (SFP) DBK-10025



4-16x44
EBR-2C MRAD (FFP) DBK-10027
EBR-2C MOA (FFP) DBK-10026



6-24x50
EBR-2C MRAD (FFP) DBK-10029
EBR-2C MOA (FFP) DBK-10028



HUNTING

- XD™ OPTICAL SYSTEM
- CAPPED TURRETS



DEAD-HOLD® BDC MOA



V-PLEX MOA

DIAMONDBACK®
RIFLESCOPES

GREATNESS RUNS IN THE FAMILY.

With a long legacy of proven grit, Diamondback® is a true workhorse, delivering hard-working reliability in a trusted lineup of models. Excellent low-light capability. Brilliant contrast and sharpness that serves up impressive images. Renowned for toughness and accuracy, it's built with durable construction and a lightweight design, giving hunters the confidence to push further and succeed in any terrain. Simple to use and rugged enough for any hunt, Diamondback® is made to go the distance, from the East to the Rockies and beyond.



1.75-5x32
DEAD-HOLD® BDC MOA (SFP) DBK-08-BDC



2-7x35
V-PLEX MOA (SFP) RIMFIRE DBK-RIM



3-9x40
DEAD-HOLD® BDC MOA (SFP) DBK-01-BDC
V-PLEX MOA (SFP) DBK-M-01P



3.5-10x50
DEAD-HOLD® BDC MOA (SFP) DBK-03-BDC



4-12x40
DEAD-HOLD® BDC MOA (SFP) DBK-04-BDC



CROSSFIRE® HD
RIFLESCOPES

BUILT FOR THE HUNT. READY FOR THE SHOT.

Whether threading shots through dense timber or dialing in at extended range, Crossfire® HD delivers sharper detail and improved light transmission, giving you the confidence to own any hunt.



1-4x24
DEAD-HOLD® 2A BDC MOA (SFP) CFR-1401i NEW!



1.5-5.5x32 SCOUT
DEAD-HOLD® 2A BDC MOA (SFP) CFR-1501i NEW!



2-7x32
V-PLEX MOA (SFP) CFR-2702 NEW!
V-PLEX MOA (SFP) RIMFIRE CFR-2702R NEW!



2-7x32
DEAD-HOLD® 2A BDC MOA (SFP) CFR-2701i NEW!



3-9x40
DEAD-HOLD® BDC MOA (SFP) CFR-3901 NEW!
V-PLEX MOA (SFP) CFR-3902 NEW!
STRAIGHT-WALL BDC MOA (SFP) CFR-3901SW NEW!
MUZZLELOADER BDC MOA (SFP) CFR-3901MZ NEW!



3-9x40
DEAD-HOLD® 2A BDC MOA (SFP) CFR-3901i NEW!



4-12x44
DEAD-HOLD® BDC MOA (SFP) CFR-41201 NEW!
WIDERANGE PLEX™ MOA (SFP) CFR-41202 NEW!



4-12x44
DEAD-HOLD® 2A BDC MOA (SFP) CFR-41201i NEW!



6-18x50
WIDERANGE PLEX™ MOA (SFP) CFR-61802 NEW!




6-18x50
DEAD-HOLD® 2A BDC MOA (SFP) CFR-61801i NEW!

HUNTING

- HD OPTICAL SYSTEM
- CAPPED TURRETS

*Center dot illumination





CROSSFIRE® II
RIFLESCOPES

HUNT HIGH. HUNT LOW. HUNT HARD.

Built for hunters who value straightforward operation and lasting performance, Crossfire® II delivers reliable low-light capability, sharp resolution, and the accuracy needed for confident shots. Combining simplicity with capability, it gives you everything you need to put game on the ground, making it a trusted companion for hunters at every level.



2-7x32 CROSSBOW KIT
XBR®-2 MOA (SFP) CF2-CB1




3-12x56 HOG HUNTER
V-BRITE® MOA (SFP) CF2-31049

HUNTING

- SD OPTICAL SYSTEM
- CAPPED TURRETS

*Red/Green Reticle





TRIUMPH™ HD
RIFLESCOPE

READY FOR DEER CAMP, RIGHT OUT OF THE BOX.

Every great story at deer camp starts with one shot — and the Triumph™ HD 3-9x40 Riflescope delivers everything you need to make it yours. With impressive glass, solid construction, and included Hunter Rings, it's built to get you field-ready fast, so you can zero in and head out to hunt. Made for hunters who know that a great shot can define the season — and the stories that come with it.



1" HUNTER RINGS *INCLUDED*



3-9x40
DEAD-HOLD® BDC MOA (SFP) TRI-3901 NEW!

HUNTING

- HD OPTICAL SYSTEM
- CAPPED TURRETS



RIFLESCOPE RINGS & MOUNTS

PRECISION



PRECISION RIFLESCOPE RINGS

34mm Low .92" PMR-34-92 / Medium 1.00" PMR-34-100
Medium Plus 1.10" PMR-34-1.1 / High 1.26" PMR-34-126
Extra High 1.45" PMR-34-145
30mm Low .87" PMR-30-87 / Medium .97" PMR-30-97
Medium .97" Weaver PMR-30-97-W / High 1.26" PMR-30-126
Extra High 1.45" PMR-30-145
1 inch .76" Weaver PMR-01-76-W



PRECISION EXTENDED CANTILEVER MOUNTS

34mm 1.57" CM-534
34mm 20 MOA 1.57" CM-534-20
30mm 1.57" CM-530
30mm 20 MOA 1.57" CM-530-20



PRECISION QUICK-RELEASE EXTENDED CANTILEVER MOUNT

30mm 1.45" CM-404



PRECISION DIVING BOARD MOUNTS

34mm PMR-DB-34
30mm PMR-DB-30

PRO



PRO RIFLESCOPE RINGS

34mm Low .95" PR34-L / Medium 1.10" PR34-M
High 1.45" PR34-H
30mm Low .90" PR30-L / Medium 1.00" PR30-M
High 1.26" PR30-H / Extra High 1.54" PR30-XH
1 inch Low .75" PR1-L / Medium .95" PR1-M



PRO EXTENDED CANTILEVER MOUNTS

34mm 1.44" CVP-34
30mm 1.44" CVP-30
1 inch 1.44" CVP-1

SPORT



NEW!

SPORT RIFLESCOPE RINGS

30mm Low .80" SPT30-L / Medium .90" SPT30-M
High 1.10" SPT30-H / Extra High 1.50" SPT30-XH
1 inch Low .80" SPT1-L / Medium .90" SPT1-M
High 1.10" SPT1-H / Extra High 1.50" SPT1-XH



SPORT CANTILEVER MOUNTS

34mm 1.50" SCM-34-150 *NEW!*
30mm 1.50" SCM-30-150
1 inch 1.50" SCM-01-150



RIFLESCOPE ACCESSORIES



PRO TORQUE WRENCH

PR-TW



PRO LEVELING KIT

PR-LK



DEFENDER® FLIP CAPS

Eyepiece E-10
56mm Objective O-56 **50mm Objective** O-50
44mm Objective O-44 **40mm Objective** O-40
32mm Objective O-32 **24mm Objective** O-24 / **Large** O-24L



SURE FIT RIFLESCOPE COVERS

X-Large SF-XL / **Large** SF-L
Medium SF-M / **Small** SF-S



SWITCHVIEW™ THROW LEVERS

49mm SV-3 / **46mm** SV-5 / **44mm** SV-2



NEW!

THROW LEVER

44mm TL-44



BUBBLE LEVELS

34mm BL34 / **30mm** BL30 / **1 inch** BL1



LO PRO BUBBLELEVELS

34mm LBL-34 / **30mm** LBL-30 / **1 inch** LBL-1




PRECISION ADJUSTMENT FOR
PRECISION SHOOTING

SCAN TO LEARN HOW TO MOUNT

RIFLESCOPE DIMENSIONS

These dimensions will help determine which rings and flip caps will work best for each riflescope. For more details, please visit the riflescope specification pages on our website.

Note: *Dimensions measured in inches.*



MODEL	LENGTH						HEIGHT		
	L1	L2	L3	L4	L5	L6	H1	H2	H3
AMG®									
1-10x24	8.40	1.97	1.12	4.86	0.38	3.20	1.33	1.74	0.16
Razor® HD Gen III									
6-36x56	15.25	1.95	2.25	6.20	5.50	3.55	2.56	1.80	0.17
4-24x44	12.50	1.75	2.23	5.95	2.96	3.57	2.05	1.80	0.19
1-10x24	10.10	2.00	2.50	6.34	0.40	3.40	1.33	1.81	0.20
Razor® HD Gen II									
4.5-27x56	14.40	1.96	2.17	6.11	4.13	4.10	2.55	1.81	0.18
Razor® HD Gen II-E									
1-6x24	10.10	2.50	1.50	5.67	0.85	3.60	1.29	1.81	0.12
Razor® HD LHT™									
4.5-22x50	13.25	1.90	2.20	5.61	4.20	3.40	2.33	1.70	0.12
3-15x50	13.59	2.16	2.10	5.73	4.30	3.40	2.32	1.70	0.10
3-15x42	13.39	2.67	2.08	6.24	3.75	3.40	2.01	1.70	0.12
Viper® HD									
5-25x50	15.20	2.10	1.80	5.50	6.30	3.40	2.30	1.70	0.21
3-15x44	13.20	2.10	1.80	5.50	4.30	3.40	2.03	1.70	0.21
2-10x42	12.10	2.10	1.80	5.50	3.50	3.40	1.95	1.70	0.21
Golden Eagle® HD									
15-60x52	16.10	3.50	2.28	7.50	5.51	3.09	2.41	1.73	0.15
Viper® PST™ Gen II									
5-25x50	15.79	2.37	2.58	6.59	5.60	3.59	2.30	1.81	0.12
3-15x44	14.30	2.32	2.59	6.56	4.15	3.59	2.08	1.81	0.13
2-10x32	12.64	2.36	2.53	6.54	2.52	3.59	1.61	1.81	0.12
1-6x24	10.83	3.00	2.19	6.85	0.50	3.44	1.29	1.81	0.13

MODEL	LENGTH						HEIGHT		
	L1	L2	L3	L4	L5	L6	H1	H2	H3
Viper®									
6.5-20x50	14.44	2.80	2.20	6.37	4.80	3.24	2.27	1.72	0.12
Strike Eagle®									
5-25x56	14.60	2.04	2.73	6.46	4.78	3.43	2.51	1.80	0.12
3-18x44	13.30	1.90	2.70	6.40	3.40	3.50	2.01	1.81	0.12
1-8x24 FFP	10.38	1.95	2.50	6.00	0.45	3.80	1.18	1.89	0.15
1-8x24	10.00	2.88	1.88	6.40	—	3.46	1.18	1.69	0.15
Venom®									
5-25x56	15.25	2.59	2.44	6.90	4.80	3.44	2.54	1.81	0.13
3-15x44	13.30	2.20	2.40	6.30	3.70	3.40	2.10	1.80	0.25
1-6x24	10.30	2.80	2.30	6.70	—	3.50	1.20	1.80	0.15
Diamondback® Tactical									
6-24x50	14.28	2.30	2.70	6.56	3.98	3.77	2.25	1.73	0.15
4-16x44	14.06	2.24	2.70	6.43	3.83	3.77	2.01	1.73	0.15
4-12x40	14.08	1.90	2.15	5.30	5.30	3.43	1.86	1.71	0.12
Diamondback®									
4-12x40	12.00	2.46	2.15	5.85	3.00	3.10	1.89	1.69	0.11
3.5-10x50	12.50	2.15	2.10	5.48	3.85	3.10	2.29	1.69	0.10
3-9x40	11.61	2.00	2.10	5.40	3.07	3.10	1.89	1.69	0.09
2-7x35 Rimfire	11.60	1.83	2.10	5.16	3.35	3.10	1.72	1.69	0.09
1.75-5x32	10.20	1.90	1.96	5.10	1.90	3.10	1.55	1.69	0.10
Crossfire® HD									
6-18x50	13.90	2.10	1.90	5.40	4.90	3.60	2.30	1.70	0.17
4-12x44	13.40	2.20	1.90	5.40	4.40	3.70	2.03	1.70	0.14
3-9x40	12.50	1.70	1.90	4.90	4.00	3.70	1.90	1.70	0.10
2-7x32	11.20	1.70	1.70	4.60	2.90	3.70	1.60	1.70	0.11
1.5-5.5x32 Scout	8.70	1.10	1.10	3.50	2.20	3.00	1.60	1.60	0.11
1-4x24	9.50	2.70	1.80	5.80	N/A	3.60	1.20	1.70	0.12
Crossfire® II									
3-12x56 Hog Hunter	13.46	1.57	2.05	5.00	5.00	3.54	2.80	1.73	0.10
2-7x32 Crossbow Kit	9.50	1.69	1.50	4.45	1.95	3.06	1.56	1.52	0.07
Triumph® HD									
3-9x40	11.81	1.58	1.60	4.41	3.87	3.55	1.87	1.72	0.10

RIFLESCOPE SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO SYSTEM	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT
AMG®																
AMG-11002	1-10x24	FFP	EBR-9 MRAD	Yes	3.3"	116.0' - 12.0'	N/A	Capped	34mm	.1 MRAD	10 MRAD	30 MRAD	30 MRAD	250 yds.	8.4"	18.8 oz.
Razor® HD Gen III																
RZR-63602	6-36x56	FFP	EBR-7D MRAD	Yes	3.5"	20.5' - 3.5'	L-Tec+™	Exposed	34mm	.1 MRAD	10 MRAD	36.1 MRAD*	15.5 MRAD*	10 yds. - ∞	15.3"	45.1 oz.
RZR-63601			EBR-7D MOA							1/4 MOA	25 MOA	120 MOA*	52.5 MOA*			
RZR-42402	4-24x44	FFP	EBR-7D MRAD	Yes	3.3"	30.9' - 5.3'	L-Tec+™	Elevation: Exposed Windage: Capped	34mm	.1 MRAD	10 MRAD	46 MRAD*	25 MRAD*	15 yds. - ∞	12.5"	32.3 oz.
RZR-42401			EBR-7D MOA							1/4 MOA	25 MOA	158 MOA*	86 MOA*			
RZR-11002	1-10x24	FFP	EBR-9 MRAD	Yes	3.6"	116.0' - 11.7'	N/A	Capped	34mm	.1 MRAD	10 MRAD	30 MRAD	30 MRAD	150 yds.	10.1"	21.5 oz.
RZR-11001			EBR-9 BDC MOA							1/4 MOA	25 MOA	120 MOA	120 MOA			
Razor® HD Gen II																
RZR-42709	4.5-27x56	FFP	Horus™ H59™ MRAD	Yes	3.7"	25.3' - 4.4'	L-Tec™	Exposed	34mm	.1 MRAD	10 MRAD	33 MRAD*	14 MRAD*	32 yds. - ∞	14.4"	48.5 oz.
RZR-42710			Horus™ Tremor3™ MRAD													
RZR-42708			EBR-7C MRAD													
RZR-42707			EBR-7C MOA							1/4 MOA	25 MOA	113.5 MOA*	48 MOA*			
Razor® HD Gen II-E																
RZR-16009	1-6x24	SFP	VMR-2 MRAD	Yes	4.0"	115.2' - 20.5'	N/A	Capped	30mm	.2 MRAD	20 MRAD	43 MRAD	43 MRAD	100 yds.	10.1"	21.5 oz.
RZR-16010			VMR-2 MOA							1/2 MOA	50 MOA	150 MOA	150 MOA			
RZR-16008			JM-1 BDC MOA													
Razor® HD LHT™																
RZR-42202	4.5-22x50	FFP	XLR-2 MRAD	Yes	4.0"	23.5' - 4.7'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	22.4 MRAD*	12.7 MRAD	25m - ∞	13.3"	21.7 oz.
RZR-42201			XLR-2 MOA							1/4 MOA	15 MOA	75 MOA*	45 MOA	25 yds. - ∞		
RZR-31503	3-15x50	SFP	G4i BDC MRAD	Yes	3.8"	35.3' - 7.0'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	23 MRAD*	23 MRAD	20m - ∞	13.6"	20.5 oz.
RZR-31502	3-15x42	SFP	HSR-5i MRAD	Yes	3.8"	35.3' - 7.0'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	23 MRAD*	23 MRAD	20m - ∞	13.3"	19.1 oz.
RZR-31501			HSR-5i MOA							1/4 MOA	15 MOA	80 MOA*	80 MOA	20 yds. - ∞		
Viper® HD																
VPR-52502	5-25x50	FFP	VMR-4 MRAD	Yes	3.4"	23.6' - 4.7'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	10 MRAD	20 MRAD*	12.4 MRAD	20 yds. - ∞	15.2"	25.0 oz.
VPR-52501			VMR-4 MOA							1/4 MOA	25 MOA	68 MOA*	42 MOA			
VPR-52504		SFP	VMR-3 MRAD			24.0' - 4.7'				.1 MRAD	10 MRAD	20 MRAD*	12.4 MRAD			
VPR-52503			VMR-3 MOA							1/4 MOA	25 MOA	68 MOA*	42 MOA			
VPR-31503	3-15x44	SFP	VMR-3 MRAD	Yes	3.4"	39.9' - 8.0'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	10 MRAD	30.5 MRAD*	27 MRAD	20 yds. - ∞	13.2"	22.5 oz.
VPR-31502			VMR-3 MOA							1/4 MOA	25 MOA	102 MOA*	92 MOA			
VPR-31501			Dead-Hold® BDC MOA				N/A	Capped				92 MOA	92 MOA			21.5 oz.
VPR-21001	2-10x42	SFP	Dead-Hold® BDC MOA	Yes	3.4"	61.6' - 11.9'	N/A	Capped	30mm	1/4 MOA	25 MOA	135 MOA	135 MOA	100 yds.	12.1"	19.9 oz.

*Zero system will limit travel.


RIFLESCOPE SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO SYSTEM	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT
Golden Eagle® HD																
TCS-1503	15-60x52	SFP	ECR-1 MOA	No	3.9"	6.3' - 1.7'	N/A	Exposed	30mm	1/8 MOA	10 MOA	55 MOA	45 MOA	20 yds. - ∞	16.1"	29.7 oz.
TCS-1501			SCR-1 MOA													
Viper® PST® Gen II																
PST-5259	5-25x50	FFP	EBR-7C MRAD	Yes	3.4"	24.1' - 4.8'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	20 MRAD	10 MRAD	25 yds. - ∞	15.8"	31.2 oz.
PST-5256			EBR-7C MOA							1/4 MOA	25 MOA	70 MOA	35 MOA			
PST-5251		SFP	EBR-4 MOA													
PST-3159	3-15x44	FFP	EBR-7C MRAD	Yes	3.4"	41.2' - 8.6'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	22 MRAD	11 MRAD	20 yds. - ∞	14.3"	28.1 oz.
PST-3156			EBR-7C MOA							1/4 MOA	25 MOA	75 MOA	40 MOA			
PST-3151		SFP	EBR-4 MOA													
PST-2105	2-10x32	FFP	EBR-4 MRAD	Yes	3.2"	58.3' - 11.7'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	26 MRAD	26 MRAD	20 yds. - ∞	12.6"	26.3 oz.
PST-2101			EBR-4 MOA							1/4 MOA	25 MOA	90 MOA	90 MOA			
PST-1607	1-6x24	SFP	VMR-2 MRAD	Yes	3.8"	112.5' - 18.8'	N/A	Capped	30mm	.2 MRAD	16 MRAD	46 MRAD	46 MRAD	100 yds.	10.8"	22.7 oz.
PST-1605			VMR-2 MOA							1/2 MOA	40 MOA	160 MOA	160 MOA			
Viper®																
VPR-M-06BDC	6.5-20x50	SFP	Dead-Hold® BDC MOA	No	3.1"	17.4' - 6.2'	N/A	Capped	30mm	1/4 MOA	12 MOA	65 MOA	65 MOA	50 yds. - ∞	14.4"	21.6 oz.
VPR-M-06MD			Mil Dot MOA**													
Strike Eagle®																
SE-52504	5-25x56	FFP	EBR-7C MRAD	Yes	3.8"	24.0' - 5.2'	RevStop®	Exposed	34mm	.1 MRAD	10 MRAD	31 MRAD*	23 MRAD	15 yds. - ∞	14.6"	30.4 oz.
SE-52503			EBR-7C MOA							1/4 MOA	25 MOA	110 MOA*	78 MOA			
SE-31802	3-18x44	FFP	EBR-7C MRAD	Yes	3.8"	39.8' - 6.7'	RevStop®	Elevation: Exposed Windage: Capped	34mm	.1 MRAD	10 MRAD	45 MRAD*	18 MRAD	10 yds. - ∞	13.3"	26.6 oz.
SE-31801			EBR-7C MOA							1/4 MOA	25 MOA	154 MOA*	62 MOA			
SE-1801	1-8x24	FFP	EBR-8 BDC MOA	Yes	3.9"	113.6' - 14.1'	N/A	Capped	30mm	1/4 MOA	25 MOA	145 MOA	145 MOA	125 yds.	10.4"	23.9 oz.
SE-1824-2		SFP	AR-BDC3 MOA		3.5"	109.0' - 14.4'				1/2 MOA	44 MOA	140 MOA	140 MOA	100 yds.	10.0"	17.4 oz.
Venom®																
VEN-52502	5-25x56	FFP	EBR-7C MRAD	No	3.7"	21.2' - 4.7'	RevStop®	Exposed	34mm	.1 MRAD	10 MRAD	25 MRAD*	25 MOA	15 yds. - ∞	15.3"	35.0 oz.
VEN-52501			EBR-7C MOA							1/4 MOA	25 MOA	85 MOA*	85 MOA			
VEN-31502	3-15x44	FFP	EBR-7C MRAD	No	3.6"	42.4' - 8.4'	RevStop®	Elevation: Exposed Windage: Capped	34mm	.1 MRAD	10 MRAD	36 MRAD*	21 MRAD	10 yds. - ∞	13.3"	28.8 oz.
VEN-31501			EBR-7C MOA							1/4 MOA	25 MOA	124 MOA*	75 MOA			
VEN-1601	1-6x24	SFP	AR-BDC3 MOA	Yes	3.7"	126.0' - 20.2'	N/A	Capped	30mm	1/4 MOA	25 MOA	140 MOA	140 MOA	100 yds.	10.3"	19.5 oz.

*Zero system will limit travel.
**MRAD Reticle/MOA Turrets

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO SYSTEM	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT
Diamondback® Tactical																
DBK-10029	6-24x50	FFP	EBR-2C MRAD	No	3.9"	18.0' - 4.5'	N/A	Exposed	30mm	.1 MRAD	6 MRAD	19 MRAD	19 MRAD	10 yds. - ∞	14.3"	24.6 oz.
DBK-10028			EBR-2C MOA							1/4 MOA	15 MOA	65 MOA	65 MOA			
DBK-10027	4-16x44	FFP	EBR-2C MRAD	No	3.8"	26.9' - 6.7'	N/A	Exposed	30mm	.1 MRAD	6 MRAD	25 MRAD	25 MRAD	20 yds. - ∞	14.1"	23.1 oz.
DBK-10026			EBR-2C MOA							1/4 MOA	15 MOA	85 MOA	85 MOA			
DBK-10025	4-12x40	SFP	VMR-1 MOA	No	3.9"	23.6' - 7.9'	N/A	Exposed	1"	1/4 MOA	12 MOA	70 MOA	70 MOA	100 yds.	14.1"	17.5 oz.
Diamondback®																
DBK-04-BDC	4-12x40	SFP	Dead-Hold® BDC MOA	No	3.1"	32.4' - 11.3'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	12.0"	14.2 oz.
DBK-03-BDC	3.5-10x50	SFP	Dead-Hold® BDC MOA	No	3.3"	35.8' - 13.5'	N/A	Capped	1"	1/4 MOA	15 MOA	65 MOA	65 MOA	100 yds.	12.5"	15.5 oz.
DBK-01-BDC	3-9x40	SFP	Dead-Hold® BDC MOA	No	3.3"	44.6' - 14.8'	N/A	Capped	1"	1/4 MOA	15 MOA	70 MOA	70 MOA	100 yds.	11.6"	14.5 oz.
DBK-M-01P			V-Plex MOA													
DBK-RIM	2-7x35 Rimfire	SFP	V-Plex MOA	No	3.1"	64.3' - 19.3'	N/A	Capped	1"	1/4 MOA	15 MOA	100 MOA	100 MOA	50 yds.	11.6"	13.7 oz.
DBK-08-BDC	1.75-5x32	SFP	Dead-Hold® BDC MOA	No	3.5"	68.3' - 23.1'	N/A	Capped	1"	1/4 MOA	15 MOA	125 MOA	125 MOA	100 yds.	10.2"	13.0 oz.
Crossfire® HD																
CFR-61801i	6-18x50	SFP	Dead-Hold® 2A BDC MOA	Yes	3.8"	18.7' - 6.0'	N/A	Capped	30mm	1/4 MOA	15 MOA	70 MOA	70 MOA	10 yds. - ∞	13.9"	23.2 oz.
CFR-61802			WideRange Plex™ MOA	No												22.6 oz.
CFR-41201i	4-12x44	SFP	Dead-Hold® 2A BDC MOA	Yes	3.8"	26.9' - 8.6'	N/A	Capped	1"	1/4 MOA	15 MOA	70 MOA	70 MOA	15 yds. - ∞	13.4"	21.5 oz.
CFR-41201			Dead-Hold® BDC MOA	No												20.7 oz.
CFR-41202			WideRange Plex™ MOA													
CFR-3901i	3-9x40	SFP	Dead-Hold® 2A BDC MOA	Yes	3.8"	37.2' - 12.4'	N/A	Capped	1"	1/4 MOA	15 MOA	72 MOA	72 MOA	100 yds.	12.5"	17.1 oz.
CFR-3901			Dead-Hold® BDC MOA	No												16.2 oz.
CFR-3902			V-Plex MOA													
CFR-3901SW			Straight-Wall BDC MOA													
CFR-3901MZ			Muzzleloader BDC MOA													
CFR-2701i	2-7x32	SFP	Dead-Hold® 2A BDC MOA	Yes	3.9"	53.1' - 14.8'	N/A	Capped	1"	1/4 MOA	15 MOA	90 MOA	90 MOA	100 yds.	11.2"	15.7 oz.
CFR-2702			V-Plex MOA	No										50 yds.		14.7 oz.
CFR-2702R	2-7x32 Rimfire															
CFR-1501i	1.5-5.5x32 Scout	SFP	Dead-Hold® 2A BDC MOA	Yes	1.5x: 9.0" - 24.0" 5.5x: 9.0" - 13.0"	23.0' - 6.8'	N/A	Capped	1"	1/4 MOA	15 MOA	100 MOA	100 MOA	100 yds.	8.7"	11.6 oz.
CFR-1401i	1-4x24	SFP	Dead-Hold® 2A BDC MOA	Yes	3.8"	109.5' - 26.7'	N/A	Capped	30mm	1/2 MOA	30 MOA	130 MOA	130 MOA	100 yds.	9.5"	15.3 oz.
Crossfire® II																
CF2-31049	3-12x56 Hog Hunter	SFP	V-Brite® MOA	Yes	3.5"	36.7' - 9.2'	N/A	Capped	30mm	1/4 MOA	15 MOA	60 MOA	60 MOA	10 yds. - ∞	13.5"	27.9 oz.
CF2-CB1	2-7x32 Crossbow Kit	SFP	XBR®-2 MOA	Yes	2.7"	57.5' - 16.4'	N/A	Capped	30mm	1/2 MOA	30 MOA	160 MOA	160 MOA	75 yds.	9.5"	14.0 oz.
Triumph™ HD																
TRI-3901	3-9x40	SFP	Dead-Hold® BDC MOA	No	3.9"	39.1' - 12.7'	N/A	Capped	1"	1/4 MOA	15 MOA	55 MOA	55 MOA	100 yds.	11.8"	16.5 oz.

RIFLESCOPE RETICLES




AR-BDC3 MOA

GLASS-ETCHED ILLUMINATED

Our exclusive AR-BDC3 reticle facilitates rapid shooting at distances out to 650 yards with popular 223/5.56mm and .308/7.62mm loads.

Strike Eagle®	p. 21
Venom®	p. 22




DEAD-HOLD® 2A BDC MOA

GLASS-ETCHED ILLUMINATED CENTER DOT

Pairs the trusted holdover and windage guidance of the Dead-Hold® BDC with an illuminated floating center dot for fast, precise aiming in low light. Designed for hunting and shooting at varying distances where holdover estimation matters.


Crossfire® HD	p. 24



DEAD-HOLD® BDC MOA

Customized hashmark design helps eliminate guesswork on holdover and windage corrections. Good for hunting and shooting at varying ranges, where estimating holdover is a concern.

Viper® HD*	p. 19	*Center dot illumination
Viper®	p. 21	
Diamondback®	p. 23	
Crossfire® HD	p. 24	
Triumph™ HD	p. 25	




EBR-2C MOA/MRAD

GLASS-ETCHED

Combining the utility of a hashmark reticle for ranging and holdovers with the fast, easy windage corrections of a windage tree, the first focal plane EBR-2C fits right in with long-range precision and competition shooters.

Diamondback® Tactical	p. 23



EBR-4 MOA/MRAD

GLASS-ETCHED ILLUMINATED

The EBR-4 is a second focal plane ranging reticle with subtension lines for ranging and holdovers. A fine, precise center crosshair is complimented by wide hashmarks on the lower stadia for quick windage corrections, despite the lack of a full windage tree.

Viper® PST™ Gen II	p. 20




EBR-7C MOA/MRAD

GLASS-ETCHED ILLUMINATED

A hashmarked ranging reticle available in first focal plane, packed with useful subtension data for long-range competition shooting.

Razor® HD Gen II	p. 17	
Viper® PST™ Gen II	p. 20	
Strike Eagle®	p. 21	
Venom®*	p. 22	*Non-Illuminated




EBR-7D MOA/MRAD

GLASS-ETCHED ILLUMINATED

Designed to maximize long-distance shooting and ranging abilities, the EBR-7D first focal plane reticle can be used to effectively determine ranges, holdovers, windage corrections, and moving target leads.

Razor® HD Gen III	p. 16




EBR-8 BDC MOA

GLASS-ETCHED ILLUMINATED

Facilitates rapid shooting from point blank out to 600 yards with popular .223/5.56mm and .308/7.62mm loads. This reticle also can be used with a wide variety of other calibers and loads using the BDC hashmarks.

Strike Eagle®	p. 21




EBR-9 MRAD

DAYLIGHT BRIGHT GLASS-ETCHED ILLUMINATED

Designed for use in close-quarters and long-range shooting, the EBR-9 reticle can be used to effectively determine ranges, holdovers, and windage corrections.

AMG®	p. 14
Razor® HD Gen III	p. 16




EBR-9 BDC MOA

DAYLIGHT BRIGHT GLASS-ETCHED ILLUMINATED

Designed for use in close-quarters and long-range shooting, the EBR-9 BDC reticle adds bullet drop compensation for accurate shots on targets of known distance.

Razor® HD Gen III	p. 16




ECR-1 MOA

GLASS-ETCHED

Slightly thicker than the SCR-1 with additional numbered subtensions and a fine center aiming dot, the ECR-1 is a second focal plane optic designed specifically for bench rest and F-Class shooters.

Golden Eagle® HD	p. 20




G4i BDC MRAD

ILLUMINATED CENTER DOT

Can be used effectively with a variety of firearms, including high powered rifles, rimfire rifles, blackpowder rifles, and slug shotguns. Also provides reference marks to compensate for bullet drop and drift in windy conditions.

Razor® HD LHT™	p. 18

RIFLESCOPE RETICLES




HORUS™ H59™ MRAD

GLASS-ETCHED ILLUMINATED

An MRAD based reticle with an incredible variety of accommodations for bullet-drop, wind corrections, spotting, and ranging. Designed for long-range precision shooters.

Razor® HD Gen II	p. 17




HORUS™ TREMOR3™ MRAD

GLASS-ETCHED ILLUMINATED

An MRAD based reticle built for long-range precision and even faster transitions, this reticle gets you all the accommodations you need for bullet-drop, wind corrections, spotting, and ranging.

Razor® HD Gen II	p. 17




HSR-5i MOA/MRAD

ILLUMINATED CENTER DOT

Effectively determines ranges, holdovers, windage corrections, and moving target leads. The fine center crosshair subtensions provide the optimum balance between precision aiming and low-light visibility.

Razor® HD LHT™	p. 18




JM-1 BDC MOA

DAYLIGHT BRIGHT ILLUMINATED CENTER DOT

Simple, intuitive, and fast. The Vortex® exclusive JM-1 BDC reticle with illuminated center dot was designed with input from world-renowned competitive shooter, instructor, and gunsmith Jerry Miculek. The JM-1 BDC facilitates rapid, accurate shooting at distances from point blank to 600 yards.

Razor® HD Gen II-E	p. 17




MIL DOT*

The Mil Dot is the original tactical reticle with a long history of use as a rangefinder for snipers when electronic handheld units were not available.

Viper®	p. 21


*MRAD Reticle/MOA Turrets



MUZZLELOADER BDC MOA

Specially calibrated for the slower velocities of modern muzzleloaders. This reticle ensures accurate holds over distance, giving you confidence in longer shots.

Crossfire® HD	p. 24




SCR-1 MOA

GLASS-ETCHED

With ultra-fine reticle thickness, the SCR-1 is a second focal plane reticle designed specifically for bench rest and F-Class shooters who need to be as precise at long-range as possible with minimal target coverage by the reticle.


Golden Eagle® HD	p. 20



STRAIGHT-WALL BDC MOA

The Straight-Wall BDC reticle is optimized for popular straight-wall cartridges including .450 Bushmaster, 350 Legend, and .45-70 Government.

Crossfire® HD	p. 24




V-BRITE® MOA

GLASS-ETCHED ILLUMINATED CENTER DOT

Uses the V-Plex format with battery-powered electronics to illuminate the center dot for better low-light performance. Perfect for hunters and shooters during extra low-light conditions.


Crossfire® II	p. 25



V-PLEX MOA

The V-Plex is a popular, all-purpose hunting reticle intended for a wide variety of applications.


Diamondback®	p. 23
Crossfire® HD	p. 24



VMR-1 MOA/MRAD

The VMR-1 is a second focal plane, hashmarked reticle offering accurate holdovers and ranging capability at extended distances. Its simple, intuitive design gives just enough of the information hunters and shooters need while maintaining a clean, clutter-free sight picture.

Diamondback® Tactical	p. 23




VMR-2 MOA/MRAD

DAYLIGHT BRIGHT ILLUMINATED CENTER DOT

The VMR-2 is a second focal plane reticle designed specifically for low-powered variable optics. A center illuminated dot makes for fast acquisition on 1x, while hashmarks on the lower and horizontal stadia allow for ranging, holdover, and windage corrections on high power.

Razor® HD Gen II-E	p. 17
Viper® PST™ Gen II	p. 20

RIFLESCOPE RETICLES




VMR-3 MOA/MRAD

ILLUMINATED CENTER DOT

Maximizes long-distance shooting with fine center crosshairs that balance precision aiming and low-light visibility, aiding hunters in holdovers, wind corrections, and moving target leads.

Viper® HD p. 19




VMR-4 MOA/MRAD

GLASS ETCHED ILLUMINATED

Maximizes long-distance shooting with ultra-precision laser-etched crosshairs that balance precision aiming and low-light visibility, helping hunters with range determination, holdovers, wind corrections, and moving target leads. Includes windage reference dots on drop lines.


Viper® HD p. 19



WIDERANGE PLEX™ MOA

Designed for open terrain and extended-range shooting, its thinner crosshairs reduce obstruction, giving you the clarity and focus to lock in on small, distant game.

Crossfire® HD p. 24




XBR®-2 MOA

GLASS-ETCHED RED/GREEN ILLUMINATED

Designed specifically for modern crossbows of varying speeds, the BDC system delivers fast and accurate shot placement out to 100 yards.

Crossfire® II p. 25



XLR-2 MOA/MRAD

GLASS-ETCHED ILLUMINATED


The XLR-2 reticle is an illuminated, long-range reticle with elevation and windage reference subtensions. Great for long-range shooters and hunters who prefer to hold for bullet-drop and wind at distance.

Razor® HD LHT™ p. 18

EVERYTHING IS IN RANGE

RAZOR® HD GEN III
4-24x44 FFP RIFLESCOPE
SCAN TO LEARN MORE

RED DOTS



VENOM® ENCLOSED



VIPER® SHOTGUN ENCLOSED



DEFENDER-ST™ ENCLOSED SOLAR



MIL/LE | CLOSE-QUARTERS BATTLE

AMG® UH-1® GEN II
HOLOGRAPHIC SIGHTS

UNSTOPPABLE, DAY OR NIGHT.

An unbeatable combination of speed, accuracy, and durability, the AMG® UH-1® Gen II is trusted by MIL/LE professionals and advanced competitors. Combat-tested. Night-vision compatible. Engineered for endurance, with a precision-marked holographic reticle to amplify accuracy. Every element — from the streamlined design that eliminates weapon snags to the FHQ™ technology that cuts stray light emissions — ensures you're the master of close-quarter engagements, day or night.

- ZERO IMAGE DISTORTION
- 8 NIGHT-VISION SETTINGS
- LARGE VIEWING WINDOW
- NO FORWARD SIGNATURE
- INTEGRATED QUICK-RELEASE MOUNT




EBR-CQB 1 MOA RETICLE AMG-HS02



EBR-CQB 1 MOA RETICLE AMG-HS02T

EBR-CQB 1 MOA RETICLE



The clean, highly versatile, purpose-built reticle creates optimal target engagement in a wide range of scenarios.



FHQ™ Technology
Fusion Hologram with Quantum Well Light Control (FHQ) Technology virtually eliminates stray light emissions for stealth shooter signature in low light and prevents eyepiece glare common to other holographic sights.



RECREATIONAL SHOOTING | SELF-DEFENSE

- 12-HOUR AUTO-SHUTOFF
- NIGHT-VISION COMPATIBLE
- INTEGRATED FLIP CAPS
- CANTILEVER MOUNT INCLUDED



4 MOA RED/GREEN DOT

STRIKEFIRE® II
RED DOTS

STRIKE WHILE THE BARREL'S HOT.

The StrikeFire® II delivers fast target acquisition and dependable performance for tactical training and range sessions. Whether you're drilling close quarters or working midrange shots from cover, this red dot is built to keep you on target. The tube-style design provides increased protection and a familiar sight picture, perfect for shooters who value simplicity and ruggedness. Ready for regular use at the range, it's a solid choice for shooters looking for reliable performance without the complexity.




4 MOA RED DOT SF-BR-504
4 MOA RED/GREEN DOT SF-RG-501





RECREATIONAL SHOOTING | SELF-DEFENSE | HUNTING

- UP TO 50,000 HOUR BATTERY LIFE
- NIGHT-VISION COMPATIBLE
- MULTI-HEIGHT MOUNTING SYSTEM



2 MOA RED DOT | 2 MOA GREEN DOT

CROSSFIRE®
RED DOTS

MAKE IT RAIN BRASS, RAIN OR SHINE.

Crossfire® delivers the red dot speed and accuracy to shooters looking to get the most out of their AR, shotgun, or rimfire rifles. Its versatile, no-nonsense design gets you on target fast, with easy controls and rugged reliability that lasts. Built to defy weather, regular field and range use and abuse, Crossfire® is your key to getting more thrill out of shooting without the complexity.



2 MOA RED DOT CF-RD2
2 MOA GREEN DOT CF-GD2



2 MOA RED DOT CF-RD2-T





HUNTING

VIPER®

SHOTGUN ENCLOSED MICRO RED DOTS

LOW PROFILE. RUGGED. SHOTGUN READY.

Purpose-built for the fast pace of turkey hunting and wingshooting, the Viper® Shotgun Enclosed Micro Red Dot delivers an ultra-low-profile design and wide field of view for intuitive shooting and superior recoil control. Its enclosed design and integrated universal mount ensures seamless operation and maximum protection against the elements.

- ENCLOSED ALUMINUM HOUSING
- LARGE ASPHERICAL LENS
- MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- INTEGRATED UNIVERSAL MOUNTING SYSTEM



3 MOA RED DOT	VPR-SGMRD3-E
RED MULTI-RETICLE RED DOT	VPR-SGMRD3-MR-E





3 MOA RED DOT

RED MULTI-RETICLE OPTIONS



3 MOA DOT | 3 MOA DOT 32 MOA CIRCLE | 3 MOA DOT 65 MOA CIRCLE | 3 MOA DOT 32 MOA / 65 MOA CIRCLES | 32 MOA CIRCLE | 65 MOA CIRCLE | 32 MOA CIRCLE 65 MOA CIRCLE



RECREATIONAL SHOOTING

SPITFIRE™ HD GEN II

PRISM SCOPES

BUILT SMALL TO GO BIG.

For shooters who need more reach without sacrificing speed, the Spitfire™ HD Gen II is built to excel at mid-range engagements. Its fixed magnification delivers sharp, accurate shots with its etched-glass reticle that stays visible even without illumination. Rugged, reliable, and ready for action, it's uniquely designed for those who need an ideal balance of close-quarters speed and extended-range accuracy.

- HD OPTICAL SYSTEM
- ULTRA COMPACT & LIGHTWEIGHT
- 14 HOUR AUTO-SHUTOFF
- NIGHT-VISION COMPATIBLE
- MULTI-HEIGHT MOUNTING SYSTEM



AR-BDC4 MOA RETICLE

A BDC reticle built to get the most out of the 5.56 cartridge in your AR, this reticle provides both rapid target acquisition and the tools for holdovers out to 650 yards.



3x
AR-BDC4 MOA SPR-300



5x
AR-BDC4 MOA SPR-500

Note – Prism scopes are not compatible with magnifiers.





RECREATIONAL SHOOTING

SPITFIRE™ AR

PRISM SCOPE

DOOR KICKING, DOWN RANGE BANG MACHINE.

When fast target acquisition in tight spaces is mission-critical, the Spitfire™ AR delivers with precision and competitive speed. Designed for close-quarters engagements — with a prism design preferred by shooters with astigmatism — it offers 1x magnification and an etched reticle for rapid, accurate shots…with or without a battery. Compact, lightweight, and built to thrive in high-pressure shooting environments, the Spitfire™ AR keeps you focused on your next move without slowing you down.

- RED/GREEN ILLUMINATION
- REAR-FACING ILLUMINATION CONTROL
- 14 HOUR AUTO-SHUTOFF
- NIGHT-VISION COMPATIBLE
- LOWER 1/3 CO-WITNESS MOUNT



DRT MOA RETICLE



DRT-MOA RED/GREEN RETICLE SPR-200

Note – Prism scopes are not compatible with magnifiers.





DEFENDER-ST™

ENCLOSED SOLAR MICRO RED DOT

SELF-DEFENSE | RECREATIONAL SHOOTING | MIL/LE

ANY WEAPON. ANY WEATHER. ALWAYS UNSTOPPABLE.

Tough, adaptable, ready for anything — the Defender-ST™ Enclosed Solar Micro Red Dot gives you a no-quit edge on pistols, shotguns, and carbines. Its ultra-rugged, fully enclosed design protects the emitter against impact and the elements, keeping you on target in any condition. Battery and solar power keep it running as long as you do, while multi-reticle customization let you quickly adjust and lock on targets in any light — day or night — across any platform.




MULTI-RETICLE RED DOT DFST-MRD3-E NEW!

- ENCLOSED ALUMINUM HOUSING
- SOLAR WITH AUTO D-TEC TECHNOLOGY
- LARGE ASPHERICAL LENS
- FAST-RACK™ TEXTURED GRIP
- DELTAPOINT® PRO FOOTPRINT
- PICATINNY MOUNT INCLUDED

RED MULTI-RETICLE OPTIONS



3 MOA DOT | 32 MOA CIRCLE | 3 MOA DOT 32 MOA CIRCLE





DEFENDER-CCW™

ENCLOSED SOLAR MICRO RED DOT

CONCEALED CARRY | SELF-DEFENSE

DEFENSE THAT NEVER TAKES A DAY OFF.

Personal protection demands absolute reliability, and the Defender-CCW™ Enclosed Solar Micro Red Dot delivers. Its ultra-rugged, fully enclosed design shields the emitter from dust, rain, and impact. Fits full-size to micro-compacts. Battery and solar power ensure it's always ready to go. A large sight window and multi-reticle customization let you adjust and lock on targets quickly in any light — day or night — so you're always prepared for the unexpected.



MULTI-RETICLE RED DOT DFCCW-MRD3-E NEW!

- ENCLOSED ALUMINUM HOUSING
- SOLAR WITH AUTO D-TEC TECHNOLOGY
- LARGE ASPHERICAL LENS
- FAST-RACK™ TEXTURED GRIP
- SHIELD RMS FOOTPRINT
- PICATINNY MOUNT INCLUDED

RED MULTI-RETICLE OPTIONS



3 MOA DOT | 32 MOA CIRCLE | 3 MOA DOT 32 MOA CIRCLE







DEFENDER-XL™
MICRO RED DOTS

MAKES FAST WORK OF FIERCE COMPETITION.


The rush of competitive shooting brings us all together. But when you want an optic that sets you apart, depend on the Defender-XL™. Target to target. Stage to stage. It's designed tough as nails around a massive sight window that delivers greater peripheral vision and increased speed for follow-up shots, so you always come out on top.



2 MOA RED DOT	DFXL-MRD2
3 MOA GREEN DOT	DFXL-MGD3
5 MOA RED DOT	DFXL-MRD5
8 MOA RED DOT	DFXL-MRD8




5 MOA RED DOT DFXL-MRD5-T NEW!



COMPETITION

- LARGE HARD COATED LENS
- MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- SHOCKSHIELD™ POLYMER INSERT
- FAST-RACK™ TEXTURED GRIP
- DELTAPOINT® PRO FOOTPRINT
- PICATINNY MOUNT INCLUDED



2 MOA RED DOT · 3 MOA GREEN DOT · 5 MOA RED DOT · 8 MOA RED DOT



DEFENDER-CCW™
MICRO RED DOTS

CARRY WITH CONVICTION.

Arm yourself with the red dot specifically built for modern everyday carry. Slim profile for discreet concealment. Motion activated. Fits full-size to micro-compacts. The large sight window and brilliant bright dot combine for first-shot speed to target in any light. Meant for those who prioritize personal protection, the Defender-CCW™ delivers the function, quickness, and accuracy you need to come out on top when life is on the line.



3 MOA RED DOT	DFCCW-MRD3
3 MOA GREEN DOT	DFCCW-MGD3
6 MOA RED DOT	DFCCW-MRD6



3 MOA RED DOT DFCCW-MRD3-T NEW!



SUPER LOW DECK HEIGHT ALLOWS FOR CO-WITNESSING MOST FACTORY IRON SIGHTS.

CONCEALED CARRY **SELF-DEFENSE**

- LARGE HARD COATED LENS
- MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- SHOCKSHIELD™ POLYMER INSERT
- FAST-RACK™ TEXTURED GRIP
- SHIELD RMS FOOTPRINT
- PICATINNY MOUNT INCLUDED



3 MOA RED DOT · 3 MOA GREEN DOT · 6 MOA RED DOT



DEFENDER-ST™
MICRO RED DOTS

THE DO-IT-ALL MICRO RED DOT.

Handguns. Shotguns. Offset on a carbine. Whether running drills at the range or holding the line during rigorous duty use, the all-purpose Defender-ST™ delivers the toughness, accuracy, and adaptability your challenging world needs.



3 MOA RED DOT	DFST-MRD3
3 MOA GREEN DOT	DFST-MGD3
6 MOA RED DOT	DFST-MRD6




3 MOA RED DOT DFST-MRD3-T NEW!



SELF-DEFENSE **RECREATIONAL SHOOTING** **MIL/LE**

- LARGE HARD COATED LENS
- MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- SHOCKSHIELD™ POLYMER INSERT
- FAST-RACK™ TEXTURED GRIP
- DELTAPOINT® PRO FOOTPRINT
- PICATINNY MOUNT INCLUDED



3 MOA RED DOT · 3 MOA GREEN DOT · 6 MOA RED DOT



VENOM®
ENCLOSED MICRO RED DOTS

SIMPLE. RUGGED. FULL-COVERAGE PROTECTION.

For those seeking reliable performance and functionality no matter how tough the conditions are, the Venom® Enclosed Micro Red Dot features an easy-to-mount, closed design that shields against disruptions from rain, dust, or snow. With a large sight window, motion activation, and adjustable brightness, it delivers function, handling, speed, and accuracy in any shooting situation.




3 MOA RED DOT	VEN-MRD3-E NEW!
6 MOA RED DOT	VEN-MRD6-E NEW!



RECREATIONAL SHOOTING

- ENCLOSED ALUMINUM HOUSING
- LARGE ASPHERICAL LENS
- MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF



3 MOA RED DOT · 6 MOA RED DOT

MAGNIFIERS



MICRO6X
MAGNIFIER V6XM

TAKE YOUR RED DOT 6X FARTHER.

The Micro6x Magnifier is ready to hit the range straight out of the box. Compact and built tough, it lets tactical shooters go from close- to mid-range engagements with extra magnification for identifying and hitting targets farther out. Designed for competition and combat, the Micro6x gives you a tactical edge with its patented cam-lock system for quick transitions and enhanced visual detail, stretching your effective range with a simple flip of the wrist.

Note – Recommended for use with Vortex® AMG® UH-1® Gen II and Strikefire® II sights. Not compatible with prism scopes.



MICRO3X
MAGNIFIER V3XM

MAG ON. MAG OFF.

The Micro3x Magnifier is made for quick, close-quarters transitions and is ready to go right out of the box. Compact and lightweight, it offers fast target acquisition at point-blank range while giving you the magnification needed to extend your effective range. Whether you're running drills or maneuvering tight spaces, it's designed to boost situational awareness and keep you quick on your feet without sacrificing accuracy.

Note – The Micro3x magnifier will work with any of our red dots. Any existing parallax in the optic will also be magnified. The Micro3x will not work with prism scopes.



3X MAGNIFIER
MAGNIFIER VXM-3T

MAKE LIGHT WORK OF LONG-RANGE.

Endurance engineered for high-frequency operation, the 3x Magnifier delivers precise shot placement and rock-solid stability for mid-range engagements. Continuous-deployment ready, its pushbutton design allows for seamless transitions between 1x and 3x, giving you fast adaptability in any scenario. Built to pair with larger optics and heavier firearms, it delivers high-intensity reliability and extended operational durability when it matters most.

Note – The 3x Magnifier will work with any of our red dots. Any existing parallax in the optic will also be magnified. The 3x Magnifier will not work with prism scopes.

ACCESSORIES



NEW!

PRO 45° OFFSET ACCESSORY PICATINNY MOUNT
DELTAPOINT® PRO FOOTPRINT
MICRO® T-2 FOOTPRINT
45RDM-2



NEW!

RED DOT PICATINNY MOUNT
DELTAPOINT® PRO FOOTPRINT
RDM-DPP



SPORT CANTILEVER RED DOT RING
30mm Ring Lower 1/3 Co-Witness CM-304
30mm Ring Absolute Co-Witness CM-305



TACTICAL 30mm RING
30mm Low TRL 0.83" / Medium TRM 0.97" / High TRH 1.18"
Extra-High Absolute CW TRXHAC 37mm
Extra-High Lower 1/3 CW TRXH 40mm



AR15 RISER MOUNT
MT-5108



CR2032 BATTERY HOLDER
BH-2032



RED DOT SPECS

SKU	DOT SIZE	DOT COLOR	HOUSING COLOR	BATTERY TYPE	BATTERY RUN TIME	EYE RELIEF	MAGNIFICATION	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT (W/BATTERY & HIGHEST MOUNT)
AMG® UH-1™ Gen II														
AMG-HS02	EBR-CQB 1 MOA	Bright Red	Black	CR123A	1,500 hrs.	Unlimited	1x	1/2 MOA	16.5 MOA	100 MOA	100 MOA	Parallax Free	3.9"	11.6 oz.
AMG-HS02T			Tan											
Strikefire® II														
SF-BR-504	4 MOA	Bright Red	Black	CR2	50,000 hrs.	Unlimited	1x	1/2 MOA	30 MOA	100 MOA	100 MOA	Parallax Free	5.6"	12.8 oz.
SF-RG-501		Red/Green			360 hrs.									
Crossfire®														
CF-RD2	2 MOA	Bright Red	Black	CR2032	50,000 hrs.	Unlimited	1x	1 MOA	40 MOA	100 MOA	100 MOA	Parallax Free	2.5"	5.3 oz.
CF-RD2-T			Tan											
CF-GD2		Bright Green	Black											
Viper® Shotgun Enclosed														
VPR-SGMRD3-MR-E	Multi-Reticle	Bright Red	Black	CR2032	50,000 hrs.	Unlimited	1x	1 MOA	30 MOA	100 MOA	100 MOA	Parallax Free	4.9"	2.1 oz.
VPR-SGMRD3-E	3 MOA	Bright Red	Black	CR2032	50,000 hrs.	Unlimited	1x	1 MOA	30 MOA	100 MOA	100 MOA	Parallax Free	4.9"	2.1 oz.
Defender-ST™ Enclosed Solar														
DFST-MRD3-E	Multi-Reticle	Bright Red	Black	CR2032	150,000 hrs.	Unlimited	1x	1 MOA	30 MOA	115 MOA	145 MOA	Parallax Free	1.8"	1.6 oz.
Defender-CCW™ Enclosed Solar														
DFCCW-MRD3-E	Multi-Reticle	Bright Red	Black	CR2032	150,000 hrs.	Unlimited	1x	1 MOA	30 MOA	110 MOA	110 MOA	Parallax Free	1.6"	1.3 oz.
Defender-XL™														
DFXL-MRD8	8 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	40 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.9 oz.
DFXL-MRD5	5 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	40 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.9 oz.
DFXL-MRD5-T			Tan											
DFXL-MGD3	3 MOA	Bright Green	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	40 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.9 oz.
DFXL-MRD2	2 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	40 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.9 oz.
Defender-ST™														
DFST-MRD6	6 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	40 MOA	115 MOA	145 MOA	Parallax Free	1.8"	1.5 oz.
DFST-MRD3	3 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	40 MOA	115 MOA	145 MOA	Parallax Free	1.8"	1.5 oz.
DFST-MRD3-T			Tan											
DFST-MGD3		Bright Green	Black											
Defender-CCW™														
DFCCW-MRD6	6 MOA	Bright Red	Black	CR1632	9,500 hrs.	Unlimited	1x	1 MOA	30 MOA	110 MOA	105 MOA	Parallax Free	1.6"	1.0 oz.
DFCCW-MRD3	3 MOA	Bright Red	Black	CR1632	9,500 hrs.	Unlimited	1x	1 MOA	30 MOA	110 MOA	105 MOA	Parallax Free	1.6"	1.0 oz.
DFCCW-MRD3-T			Tan											
DFCCW-MGD3		Bright Green	Black											

SKU	DOT SIZE	DOT COLOR	HOUSING COLOR	BATTERY TYPE	BATTERY RUN TIME	EYE RELIEF	MAGNIFICATION	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT (W/BATTERY & HIGHEST MOUNT)
Venom® Enclosed														
VEN-MRD6-E	6 MOA	Bright Red	Black	CR2032	20,000 hrs.	Unlimited	1x	1 MOA	40 MOA	150 MOA	150 MOA	Parallax Free	1.8"	1.8 oz.
VEN-MRD3-E	3 MOA	Bright Red	Black	CR2032	20,000 hrs.	Unlimited	1x	1 MOA	40 MOA	150 MOA	150 MOA	Parallax Free	1.8"	1.8 oz.

PRISM SCOPE SPECS

SKU	MAGNIFICATION	OBJECTIVE LENS DIAMETER	RETICLE	RETICLE COLOR	HOUSING COLOR	LINEAR FIELD OF VIEW (@ 100 YARDS)	BATTERY TYPE	EYE RELIEF	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT (W/BATTERY & HIGHEST MOUNT)
Spitfire™ HD Gen II															
SPR-500	5x	25mm	AR-BDC4 MOA	Red	Black	23.3'	CR2032	2.7"	1 MOA	42 MOA	200 MOA	200 MOA	100 yds.	3.6"	10.8 oz.
SPR-300	3x	21mm	AR-BDC4 MOA	Red	Black	37.9'	CR2032	2.6"	1 MOA	42 MOA	250 MOA	250 MOA	100 yds.	3.0"	9.3 oz.
Spitfire™ AR															
SPR-200	1x	25mm	DRT MOA	Red/Green	Black	79.0'	AAA	3.8"	1/2 MOA	30 MOA	120 MOA	120 MOA	Parallax Free	4.5"	11.2 oz.



BINOCULARS



RAZOR® UHD



CROSSFIRE® HD



VIPER® HD

DIAMONDBACK® HD



RAZOR® UHD
FULL / COMPACT-SIZE BINOCULARS

TURNS MOUNTAINS OF SOLITUDE INTO PEAKS OF ADRENALINE.

Whether sizing up a buck in dark timber or judging a ram's curl from a mountain away, rely on the superior optical quality of Razor® UHD. Spectacular glass, rugged construction, and unmatched low-light performance combine in a lineup that stands at the peak of Vortex® optical technology. Nothing overlooked. No detail too fine. For those who know unforgettable moments don't happen by chance, Razor® UHD delivers the edge your once-in-a-lifetime hunts demand.



32mm
8x32 RZB-0832
10x32 RZB-1032



42mm
8x42 RZB-0842
10x42 RZB-1042



50mm
10x50 RZB-1050
12x50 RZB-1250



56mm
18x56 RZB-1856

- UHD OPTICAL SYSTEM
- UNPARALLELED IMAGE RESOLUTION
- XR™ PLUS LENS COATINGS
- LOCKING DIOPTER
- MAGNESIUM CHASSIS
- TRIPOD ADAPTABLE



EXCLUSIVE GREEN GLASSPAK™ PRO *INCLUDED*





WESTERN HUNTING | LONG-RANGE SHOOTING | WILDLIFE OBSERVATION



RAZOR® HD
FULL-SIZE BINOCULARS

NEVER MISS THE TROPHY FOR THE TREES.

Lightweight but powerful, Razor® HD Binoculars deliver the clarity and durability serious hunters rely on to spot game hidden in shadows or across vast terrain. Whether glassing distant ridges at dawn or scanning dense timber for the flick of an ear or glint of an antler tine, Razor® HD provides bright, crisp views and an ultra-rugged build, letting you cover more ground and find more opportunities that lead to success.



GLASSPAK™ *INCLUDED*



42mm
8x42 RZB-2101
10x42 RZB-2102



50mm
10x50 RZB-2103
12x50 RZB-2104

WESTERN HUNTING | WILDLIFE OBSERVATION

- HD OPTICAL SYSTEM
- XR™ PLUS LENS COATINGS
- LOCKING DIOPTER
- MAGNESIUM CHASSIS
- TRIPOD ADAPTABLE



WESTERN HUNTING | LONG-RANGE SHOOTING | WILDLIFE OBSERVATION

KAIBAB® HD
FULL-SIZE BINOCULAR

THE POWER TO MOVE MOUNTAINS.

Long-range glassing requires patience, but the right optics make it easier. Kaibab® HD puts every ridge and valley within your reach, giving you the power to spot distant game without taking a single step. Designed for hunters who are serious about every stalk, it combines the comfort of binoculars with the high magnification of spotting scopes. Paired with a tripod, Kaibab® HD helps you make the right call when that moment of truth comes into view.



56mm
18x56 KAI-5618

- HD OPTICAL SYSTEM
- XR™ PLUS LENS COATINGS
- INCLUDES TRIPOD ADAPTER



VIPER® HD
FULL-SIZE BINOCULARS

BUILT TO HUNT WHERE OTHERS FEAR TO TREAD.

Viper® HD delivers outstanding clarity, rugged durability, and the versatility to keep up with hunters who embrace the tough, unpredictable conditions lasting memories are made from. With sharp resolution that brings every detail into focus and a lightweight, ergonomic build that won't wear you down, Viper® HD gives you the upper hand — keeping you ready to glass longer and move farther without missing a thing.



42mm

8x42	V200
10x42	V201



50mm

10x50	V202
12x50	V203

- HD OPTICAL SYSTEM
- XR™ LENS COATINGS
- LOCKING DIOPTER
- TRIPOD ADAPTABLE



GLASSPAK™ *INCLUDED*



HUNTING | WILDLIFE OBSERVATION



DIAMONDBACK® HD
FULL / COMPACT-SIZE BINOCULARS

EXPERIENCE LOVE AT FIRST LIGHT.

Made for hunters who demand hard-working, reliable optics, the Diamondback® HD delivers sharp resolution, enhanced contrast, and rugged durability. Lightweight yet tough enough to go the distance, it's a strong lineup designed to handle any kind of hunt. A true workhorse, Diamondback® HD gives you the clarity, utility, and trust you need to consistently punch more tags.



GLASSPAK™ *INCLUDED*
*SELECT MODELS ONLY

HUNTING | WILDLIFE OBSERVATION

- HD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- TRIPOD ADAPTABLE



28mm

8x28	DB-210
10x28	DB-211



32mm

8x32	DB-212
10x32	DB-213



42mm*

8x42	DB-214
10x42	DB-215



50mm*

10x50	DB-216
12x50	DB-217



56mm*

15x56	DB-218



HUNTING | WILDLIFE OBSERVATION

- HD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- TRIPOD ADAPTABLE

CROSSFIRE® HD
FULL-SIZE BINOCULARS

MORE COLOR. MORE FIDELITY. MORE FILLED TAGS.

For impressive image quality, sharpness, and lasting durability, Crossfire® HD gets the job done. Constructed with quality materials and made for practical hunters at every level, it offers solid low-light performance and a straightforward design. Simple, capable, reliable — everything you need for hunting success.



GLASSPAK™ *INCLUDED*



42mm

8x42	CF-4311
10x42	CF-4312



50mm

10x50	CF-4313
12x50	CF-4314



TRIUMPH® HD
FULL-SIZE BINOCULAR

HUNTING | WILDLIFE OBSERVATION

- HD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- TRIPOD ADAPTABLE

PROOF THAT LESS IS THE NEW MORE.

No need to overthink it — just grab 'em and glass. Triumph® HD binoculars strip it down to what matters, giving new hunters the confidence to pick apart the woods and spot game with ease. Fully multi-coated lenses deliver impressive images, and a rugged, no-nonsense design means you can focus on the hunt, not second-guessing your gear.



GLASSPAK™ *INCLUDED*



42mm
10x42 TRI-1042



VANQUISH®
COMPACT BINOCULARS

WILDLIFE OBSERVATION

- SD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES

SMALL WONDER.

Vanquish® packs big performance into a compact package, offering sharp, bright images with a wide field of view for quick scanning. At just 12.7 ounces, it's lightweight and easy to carry — a perfect fit for your daypack when scouting or slipping out for a quick hunt.



26mm
8x26 VNQ-0826
10x26 VNQ-1026



BANTAM® HD
YOUTH BINOCULAR

HUNTING | WILDLIFE OBSERVATION

- HD OPTICAL SYSTEM
- DESIGNED FOR YOUTH HANDS AND FACES
- FULLY MULTI-COATED LENSES
- TRIPOD ADAPTABLE

CLEAR. RUGGED. DEPENDABLE. FOR BIGGER THINGS AHEAD.

Streamlined and lightweight so they're easy to carry around. Solid construction and simple-to-use controls so it's easy to find distant wildlife fast. Bantam® HD combines everything you love about Vortex® quality and lifetime service in a rugged binocular that's ergonomically designed for smaller hands and faces.



32mm
6.5x32 BTM-6532



RAPTOR™
COMPACT BINOCULARS

WILDLIFE OBSERVATION

- SD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES

RECONNECT WITH YOUR WILD SIDE.

Raptor™ Binoculars bring you bright, crisp images in a versatile design that accommodates a wide range of interpupillary distance to fit everyone in the family. Built with high-quality glass for bright, sharp images, they deliver porro prism performance in a mid-size, wide-angle package — perfect for everyone from beginners to seasoned outdoor enthusiasts.



32mm
8.5x32 R385
10x32 R310

GLASSPAK™ PRO BINOCULAR HARNESS + ACCESSORIES



GLASSPAK™ PRO
BINOCULAR HARNESS P600-L / P600-S

KEEPS EVERYTHING YOU WANT EXACTLY WHERE YOU NEED IT.

Tough, weather-resistant, and padded to shield against scratches and dings, the GlassPak™ Pro delivers peace-of-mind and fast access to essential gear. With modular attachment points for accessories, it's easy to adjust and comfortable, whether sprinting to head off an animal or crawling through underbrush closing the distance on a trophy. Available in two sizes for small and large glass.



GLASSPAK™ PRO HAND MUFF
GP-MUFF-T



GLASSPAK™ PRO HOLSTER
GP-HOLSTER-T



GLASSPAK™ PRO LARGE ZIPPER POUCH
GP-LPOUCH-T



GLASSPAK™ PRO SMALL ZIPPER POUCH
GP-SPOUCH-T



GLASSPAK™ PRO BEAR SPRAY POUCH
GP-BSPOUCH-T



GLASSPAK™ PRO LASER RANGEFINDER POUCH
GP-LRFPOUCH-T



GLASSPAK™ PRO COMFORT NECK STRAP
GP-NECKSTRAP-T

EVERYTHING YOU WANT EXACTLY WHERE YOU NEED IT.



GLASSPAK™ PRO
ACCESSORIES

SCAN TO BUILD YOURS NOW

GLASSPAK™ BINOCULAR HARNESSES



GLASSPAK™ SPORT
BINOCULAR HARNESS P500-L / P500-S

FIT AND FUNCTION IN PERFECT BALANCE.

For the mobile, minimalist hunter who needs fast access to optics in unpredictable conditions, the GlassPak™ Sport offers lightweight protection and secure storage. Its tough, all-weather design shields against the elements, while adjustable straps keep you comfortable. Built for action, it keeps essential gear within easy reach.



GLASSPAK™
BINOCULAR HARNESS P400


EVERYTHING IN ITS PLACE.

The GlassPak™ Binocular Harness lets you carry a full range of full-size binoculars and all the tools you need to glass on the move, keeping everything close at hand and secure so you can focus on the hunt.

BINOCULAR SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTER RANGE	PRISM TYPE	PRISM MATERIAL	HEIGHT	WIDTH	WEIGHT
Razor® UHD												
RZB-1856	18x56	194'	3.7°	10.0'	18.0mm	56mm - 76mm	+/- 8	Roof-Abbe Koenig	BK7	8.3"	6.1"	41.6 oz.
RZB-1250	12x50	288'	5.5°	6.6'	17.0mm	56mm - 76mm	+/- 6	Roof-Abbe Koenig	BK7	7.6"	5.8"	36.1 oz.
RZB-1050	10x50	341'	6.5°	6.6'	18.0mm	56mm - 76mm	+/- 4	Roof-Abbe Koenig	BK7	7.6"	5.9"	36.5 oz.
RZB-1042	10x42	346'	6.6°	4.5'	16.7mm	56mm - 76mm	+/- 6	Roof-Abbe Koenig	BK7	7.0"	5.6"	32.2 oz.
RZB-0842	8x42	420'	8.0°	4.5'	16.7mm	56mm - 76mm	+/- 4	Roof-Abbe Koenig	BK7	7.0"	5.6"	32.2 oz.
RZB-1032	10x32	388'	7.4°	5.9'	17.0mm	55mm - 75mm	+/- 8	Roof-Schmidt Pechan	BK7	5.7"	5.1"	21.9 oz.
RZB-0832	8x32	472'	9.0°	5.9'	18.0mm	55mm - 75mm	+/- 6	Roof-Schmidt Pechan	BK7	5.7"	5.1"	21.9 oz.
Razor® HD												
RZB-2104	12x50	285'	5.4°	10.0'	15.5mm	57mm - 74mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	6.8"	5.1"	28.7 oz.
RZB-2103	10x50	315'	6.0°	10.0'	16.5mm	57mm - 74mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	6.8"	5.1"	28.1 oz.
RZB-2102	10x42	362'	6.9°	6.0'	16.5mm	55mm - 75mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	5.9"	5.1"	24.8 oz.
RZB-2101	8x42	388'	7.4°	6.0'	17.5mm	55mm - 75mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	5.9"	5.1"	24.2 oz.
Kaibab® HD												
KAI-5618	18x56	194'	3.7°	19.8'	16.4mm	60mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4 + BaK7	7.7"	5.7"	43.5 oz.
Viper® HD												
V203	12x50	288'	5.5°	8.0'	16.0mm	59mm - 75mm	+/- 4	Roof-Schmidt Pechan	BaK4 + BaK7	6.5"	5.2"	28.8 oz.
V202	10x50	346'	6.6°	8.0'	16.0mm	59mm - 75mm	+/- 2.5	Roof-Schmidt Pechan	BaK4 + BaK7	6.5"	5.2"	28.4 oz.
V201	10x42	341'	6.5°	6.0'	17.0mm	55mm - 74mm	+/- 4	Roof-Schmidt Pechan	BaK4 + BaK7	5.6"	4.9"	24.9 oz.
V200	8x42	409'	7.8°	6.0'	18.0mm	55mm - 74mm	+/- 2.5	Roof-Schmidt Pechan	BaK4 + BaK7	5.6"	4.9"	24.5 oz.
Diamondback® HD												
DB-218	15x56	230'	4.4°	14.0'	15.6mm	59mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4	7.1"	5.8"	34.8 oz.
DB-217	12x50	271'	5.2°	6.0'	14.0mm	60mm - 75mm	+/- 5	Roof-Schmidt Pechan	BaK4	6.4"	5.3"	28.9 oz.
DB-216	10x50	315'	6.0°	6.0'	17.0mm	60mm - 75mm	+/- 5	Roof-Schmidt Pechan	BaK4	6.6"	5.3"	30.0 oz.
DB-215	10x42	330'	6.3°	5.0'	15.0mm	55mm - 73mm	+/- 4	Roof-Schmidt Pechan	BaK4	5.7"	5.1"	21.3 oz.
DB-214	8x42	393'	7.5°	5.0'	17.0mm	55mm - 73mm	+/- 4	Roof-Schmidt Pechan	BaK4	5.7"	5.1"	21.8 oz.
DB-213	10x32	340'	6.5°	6.0'	14.0mm	57mm - 73mm	+/- 4	Roof-Schmidt Pechan	BaK4	4.4"	5.0"	16.0 oz.
DB-212	8x32	426'	8.1°	5.0'	16.0mm	55mm - 72mm	+/- 4	Roof-Schmidt Pechan	BaK4	4.4"	5.0"	15.9 oz.
DB-211	10x28	273'	5.1°	6.0'	16.0mm	57mm - 73mm	+/- 3	Roof-Schmidt Pechan	BaK4	4.6"	4.5"	13.3 oz.
DB-210	8x28	332'	6.2°	6.0'	18.0mm	55mm - 72mm	+/- 3	Roof-Schmidt Pechan	BaK4	4.6"	4.5"	13.7 oz.

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTER RANGE	PRISM TYPE	PRISM MATERIAL	HEIGHT	WIDTH	WEIGHT
Crossfire® HD												
CF-4314	12x50	273'	5.2°	6.0'	15.0mm	60mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.6"	5.3"	29.5 oz.
CF-4313	10x50	320'	6.1°	6.0'	17.0mm	60mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.7"	5.3"	30.4 oz.
CF-4312	10x42	325'	6.2°	6.0'	15.0mm	58mm - 75mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.0"	5.2"	23.0 oz.
CF-4311	8x42	393'	7.5°	6.0'	17.0mm	57mm - 74mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.2"	5.2"	23.8 oz.
Triumph® HD												
TRI-1042	10x42	334'	6.4°	15.3'	17.0mm	55mm - 75mm	+/- 5	Roof	BaK4	6.1"	5.0"	22.9 oz.
Bantam® HD												
BTM-6532	6.5x32	400'	7.6°	12.0'	18.7mm	51mm - 69mm	+/- 2	Roof	BaK4	4.9"	4.8"	14.4 oz.
Vanquish™												
VNQ-1026	10x26	294'	5.6°	7.6'	16.0mm	57mm - 71mm	+/- 2	Reverse Porro	BaK4	4.3"	4.6"	12.7 oz.
VNQ-0826	8x26	352'	6.7°	7.6'	15.0mm	57mm - 71mm	+/- 2	Reverse Porro	BaK4	4.3"	4.6"	12.7 oz.
Raptor™												
R310	10x32	339'	6.3°	15.0'	13.0mm	50mm - 70mm	+/- 4	Porro	BaK4	5.0"	6.2"	19.0 oz.
R385	8.5x32	390'	7.4°	15.0'	14.0mm	50mm - 70mm	+/- 4	Porro	BaK4	5.0"	6.2"	18.7 oz.







VORTEX RELAY™ DEVICES



TALON® HD 10K



ACE™ BALLISTIC WEATHER METER



IMPACT® 4000

THE VORTEX RELAY™ NETWORK



GEOBALLISTICS®
APP

IMPACT® 4000
BALLISTIC RAIL-MOUNTED LASER RANGEFINDER

ACE™
BALLISTIC WEATHER METER

TALON® HD 10K
BALLISTIC LASER RANGEFINDING BINOCULAR

SCAN TO SEE VORTEX RELAY™ IN ACTION

UNLOCK MORE WITH VORTEX RELAY™

AN UNBREAKABLE CONNECTION FOR UNSHAKABLE CONFIDENCE.

The Vortex Relay™ system shares real-time ballistic, environmental, and rifle-specific data across a suite of devices. Customize your kit and stay focused on the shot with tack-driving technology built for hunters and precision competitors.



VORTEX RELAY

ACE™
BALLISTIC WEATHER METER

WEATHER AND BALLISTICS, NOW IN YOUR CONTROL.

Reach a higher plateau of precision with the tool you need to call every shot. The Ace™ Ballistic Weather Meter puts real-time ballistics, weather, and wind information at your fingertips. Use it solo or integrate with other Vortex Relay™ products. With a simple, intuitive interface, it delivers instant DOPE adjustments and precise environmental reads for the range, competition, or your next hunt.



WM-ACE NEW!



- LIVE WIND & WEATHER DATA
- CONVENIENT ON-SCREEN BALLISTIC SOLUTIONS
- INTEGRATED GEOBALLISTICS® SOLVER
- CUSTOMIZABLE BALLISTIC PROFILES
- INTUITIVE, FAMILIAR INTERFACE
- VORTEX RELAY™ CONNECTIVITY

PRECISION LONG-RANGE | COMPETITION | WESTERN HUNTING

SKU	DISPLAY TYPE	DISPLAY SIZE	LENGTH	HEIGHT	WIDTH	WEIGHT W/BATTERIES
Ace™ Ballistic Weather Meter						
WM-ACE	LCD Display	2.0"	5.4"	1.0"	2.4"	5.7 oz.



TALON® HD 10K

BALLISTIC LASER RANGEFINDING BINOCULARS

SEE MORE. REACH FARTHER. OWN THE HORIZON.

Built for hunters and competitors, where split-second decisions make or break success. Talon® HD 10K puts Vortex's top-tier glass, extreme-range performance, and real-time ballistic data in one tool you can count on. Run it solo or pair with Vortex Relay™ devices for seamless data flow across your setup. From spotting your target to taking the shot, Talon® HD keeps you fast and focused — no matter the distance.



GLASSPAK™ SPORT
INCLUDED



10x42 LRF-TLN1042 NEW!



12x50 LRF-TLN1250 NEW!

WESTERN HUNTING | PRECISION LONG-RANGE | COMPETITION

- 10,000-YARD CAPABILITY
- HD OPTICAL SYSTEM
- IN-DISPLAY WIND/DROP SOLUTIONS
- INTEGRATED GEOBALLISTICS® SOLVER
- CUSTOMIZABLE BALLISTIC PROFILES
- ACTIVE MATRIX RED OLED DISPLAY
- ON-BOARD ENVIRONMENTAL SENSORS
- VORTEX RELAY™ CONNECTIVITY



RANGE & TARGET MODES



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

BALLISTICS (BAL)
Actual line of sight range with wind/drop solution.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.

EXTENDED LASER RANGE MODE (ELR)
Ideal for ranging targets at extreme distances.

RAIN/FOG MODE
Ideal for ranging in fog or rain.

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTER RANGE	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	HEIGHT	WIDTH	WEIGHT
Talon® HD 10K														
LRF-TLN1250	12x50	272'	5.2°	25.0'	18.5mm	58mm - 76mm	+/- 4	10,000 yds.	4200 yds.	2600 yds.	10 yds.	7.2"	5.6"	46.8 oz.
LRF-TLN1042	10x42	321'	6.1°	15.0'	18.5mm	58mm - 76mm	+/- 4	10,000 yds.	4000 yds.	2400 yds.	10 yds.	6.3"	5.5"	40.8 oz.



IMPACT® 4000

BALLISTIC RAIL-MOUNTED LASER RANGEFINDER

RANGE SMARTER. SHOOT FARTHER.

For long-range competitors and open-country hunters, the Impact® 4000 delivers range, ballistic, and environmental data all-in-one, without you having to ever come off the gun. Intuitive to use. Rugged and reliable. This advanced, rail-mounted laser rangefinder integrates seamlessly with your rifle, providing point-and-shoot solutions — functioning in places your smartphone can't for deadly speed and precision no matter where you are.




BLUETOOTH® REMOTE
INCLUDED




LRF-IMP4000


WESTERN HUNTING | PRECISION LONG-RANGE | COMPETITION

- CONVENIENT WIND/DROP SOLUTIONS
- INTEGRATED GEOBALLISTICS® SOLVER
- CUSTOMIZABLE BALLISTIC PROFILES
- ON-BOARD ENVIRONMENTAL SENSORS
- VORTEX RELAY™ CONNECTIVITY





RANGE & TARGET MODES



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

BALLISTICS (BAL)
Actual line of sight range with wind/drop solution.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

EXTENDED LASER RANGE MODE (ELR)
Ideal for ranging targets at extreme distances.

SKU	DISPLAY SIZE	DISPLAY TYPE	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	ACCURACY (@ 100 YARDS)	LENGTH	HEIGHT	WIDTH	WEIGHT
Impact® 4000											
LRF-IMP4000	1.3"	LCD Display	4000 yds.	2500 yds.	1500 yds.	5 yds.	+/- .5 yds.	4.6"	2.5"	3.2"	16.0 oz.

LASER RANGEFINDERS



RANGER® HD 3000

VIPER® HD 3000



TRIUMPH™ HD 850



RAZOR® HD 4000 GB



WESTERN HUNTING | PRECISION LONG-RANGE | COMPETITION

RAZOR® HD 4000 GB
BALLISTIC LASER RANGEFINDER

MORE PRECISE SHOOTING. LESS JUGGLING DEVICES.

One device. All the range, environmental, and ballistic data you need to make the shot of a lifetime, every time. For precision shooters and open-country hunters, the Razor® HD 4000 GB eliminates the guesswork from longer shots — delivering critical data for first-shot accuracy at the push of a button. Designed for rugged reliability, it's ready to deliver hair-splitting confidence whether you're targeting a trophy above the treeline, across an open prairie, or ringing steel out to 4000 yards.



PREMIUM CARRY CASE *INCLUDED*



7x25 LRF-252



- IN-DISPLAY WIND/DROP SOLUTIONS
- ON-BOARD GEOBALLISTICS® SOLVER
- 3 CUSTOMIZABLE BALLISTIC PROFILES
- ON-BOARD ENVIRONMENTAL SENSORS
- HD OPTICAL SYSTEM
- RED BACKLIT LCD DISPLAY
- TRIPOD ADAPTABLE
- MAX REFLECTIVE RANGE: UP TO 4000 YDS.
- TREE RANGE: UP TO 2500 YDS.
- DEER RANGE: UP TO 2200 YDS.

RANGE & TARGET MODES



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

BALLISTICS (BAL)
Actual line of sight range with wind/drop solution.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.

EXTENDED LASER RANGE MODE (ELR)
Ideal for ranging targets at extreme distances.



RAZOR® HD 4000
LASER RANGEFINDER

GO THE DISTANCE. THEN RANGE IT.

When the game comes down to inches and the window of opportunity is small, the Razor® HD 4000 delivers the ranging data you need to make your first shot count. Its advanced modes adapt to any field conditions, providing consistent, repeatable performance when you can't afford to miss. Compact and rugged. Capable of ranging reflective targets out to 4,000 yards. It's designed for serious hunters and shooters who demand performance that will never let them down.




PREMIUM CARRY CASE *INCLUDED*

WESTERN HUNTING | PRECISION LONG-RANGE

- HD OPTICAL SYSTEM
- RED BACKLIT LCD DISPLAY
- TRIPOD ADAPTABLE
- MAX REFLECTIVE RANGE: UP TO 4000 YDS.
- TREE RANGE: UP TO 2500 YDS.
- DEER RANGE: UP TO 2200 YDS.



7x25 LRF-250



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.

EXTENDED LASER RANGE MODE (ELR)
Ideal for ranging targets at extreme distances.



SHOOT FARTHER WITH GEOBALLISTICS®

GeoBallistics® is a powerful ballistic solver and app that makes long-range shooting easier for every level of hunter and shooter. Combining range, weather, wind, and custom rifle and bullet profiles, it's quite simply the easiest way to create quick, reliable, wind/drop solutions in the field.

SCAN TO DOWNLOAD GEOBALLISTICS® FREE ON YOUR DEVICE

Download on the App Store

ANDROID APP ON Google play



VIPER® HD 3000
LASER RANGEFINDER

CLOSE THE DISTANCE IN OPEN COUNTRY.

Built to help you excel no matter the hunting challenge, the Viper® HD 3000 delivers outstanding versatility, ranging speed, and capability. Whether you're locking in on bugling elk across a distant meadow or ranging a rutting buck moving fast through thick timber, the Viper® HD 3000 puts you in control. Lightweight and built tough, it doesn't just adapt — it ensures you execute every shot with lethal precision, taking your place at the top of the food chain.



SOFT CARRY CASE *INCLUDED*

HUNTING | **LONG-RANGE SHOOTING**

- HD OPTICAL SYSTEM
- RED OLED DISPLAY
- TRIPOD ADAPTABLE
- MAX REFLECTIVE RANGE: UP TO 3000 YDS.
- TREE RANGE: UP TO 2300 YDS.
- DEER RANGE: UP TO 2000 YDS.



7x25 LRF-VP3000



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.

EXTENDED LASER RANGE MODE (ELR)
Ideal for ranging targets at extreme distances.



CROSSFIRE® HD 1400
LASER RANGEFINDER

HUNTS AS HARD AS YOU DO.

Whether you're threading an arrow through tight timber or stretching your reach across an open plain, Crossfire® HD 1400 delivers pure, ranging function and the reliable data you need for confident shots every time. Built tough for the field, with an HD optical system and intuitive controls, the Crossfire® HD 1400 is your no-nonsense rangefinder for confident shooting that fills the freezer.



SOFT CARRY CASE *INCLUDED*

HUNTING

- HD OPTICAL SYSTEM
- RED TOLED DISPLAY
- MAX REFLECTIVE RANGE: UP TO 1400 YDS.
- TREE RANGE: UP TO 950 YDS.
- DEER RANGE: UP TO 750 YDS.



5x21 LRF-CF1400



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.



DIAMONDBACK® HD 2000
LASER RANGEFINDER

WORKHORSE RELIABILITY. EVERY HUNT. EVERY SEASON.

Made for practical hunters who value no-excuses performance, Diamondback® HD 2000 is your ranging workhorse in the field. Built tough to withstand the abuse your hardest hunts can dish out, its easy-to-use controls and high-definition optical system handle everything from point-blank shots in tight timber to longer-distance game with shoulder-crushing accuracy. Simple. Tough. Reliable. It's the rangefinder that lives up to its tag-punching promise, hunt after hunt.



SOFT CARRY CASE *INCLUDED*

HUNTING

- HD OPTICAL SYSTEM
- RED OLED DISPLAY
- TRIPOD ADAPTABLE
- MAX REFLECTIVE RANGE: UP TO 2000 YDS.
- TREE RANGE: UP TO 1800 YDS.
- DEER RANGE: UP TO 1400 YDS.



7x24 LRF-DB2000



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

LAST MODE
Displays furthest returned range.



TRIUMPH™ HD 850
LASER RANGEFINDER

ALL YOU NEED FOR A SEASON OF SUCCESS.

Ranging made simple for the way you hunt. The Triumph™ HD 850 Laser Rangefinder delivers fast, accurate readings for hair-splitting shots that lead to short blood trails. With intuitive range and target modes preferred by rifle and bowhunters, it's ready for planning a stalk or taking the shot in thick woods or open terrain. Compact and lightweight, it's made for deer hunters who need gear they can trust to deliver season after season.



SOFT CARRY CASE *INCLUDED*

HUNTING

- HD OPTICAL SYSTEM
- BLACK LCD DISPLAY
- SOFT-TOUCH EXTERIOR
- MAX REFLECTIVE RANGE: UP TO 850 YDS.
- TREE RANGE: UP TO 500 YDS.
- DEER RANGE: UP TO 350 YDS.



5x21 LRF-TRI850 *NEW!*



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.



RANGER® HD 3000

LASER RANGEFINDING BINOCULAR

SEE IT. RANGE IT. TAG IT. ONE TOOL. DOUBLE THE UTILITY.

Redefine readiness with the Ranger® HD 3000 Laser Rangefinding Binocular. Built for hardworking hunters, its slim design, HD clarity, and precise ranging capability combine to simplify and streamline your gear without compromising performance. In moments where speed and stealth are essential, it's an essential tool to keep you seconds ahead.



10x42 LRF-RGR3000 NEW!

- HD OPTICAL SYSTEM
- RED OLED DISPLAY
- TRIPOD ADAPTABLE
- MAX REFLECTIVE RANGE: UP TO 3000 YDS.
- TREE RANGE: UP TO 1800 YDS.
- DEER RANGE: UP TO 1500 YDS.



GLASSPAK™ *INCLUDED*

HUNTING

RANGE & TARGET MODES



RANGE MODES

HORIZONTAL COMPONENT DISTANCE (HCD)
Angle compensated distance to target.

LINE OF SIGHT (LOS)
Actual line of sight range.

SCAN
Displays continuous distance readings when panning.

TARGET MODES

NORMAL MODE
Displays strongest returned range.

FIRST MODE
Displays closest returned range.

LAST MODE
Displays furthest returned range.

STAND OUT FROM THE FLOCK

WITH VORTEX® APPAREL

SCAN TO SEE MORE VORTEX® APPAREL

LASER RANGEFINDER SPECS

SKU	MAGNIFICATION	OBJECTIVE LENS DIAMETER	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	ACCURACY (@ 100 YARDS)	MAX ANGLE READING	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	EYE RELIEF	LENGTH	HEIGHT	WIDTH	WEIGHT
Razor® HD 4000 GB															
LRF-252	7x	25mm	4000 yds.	2500 yds.	2200 yds.	5 yds.	+/- .5 yds.	+/- 89°	341'	6.5°	17.5mm	4.4"	3.2"	1.7"	10.1 oz.
Razor® HD 4000															
LRF-250	7x	25mm	4000 yds.	2500 yds.	2200 yds.	5 yds.	+/- .5 yds.	+/- 89°	341'	6.5°	17.5mm	4.4"	3.1"	1.7"	9.9 oz.
Viper® HD 3000															
LRF-VP3000	7x	25mm	3000 yds.	2300 yds.	2000 yds.	6 yds.	+/- 1 yd.	+/- 89°	314'	6.0°	15.5mm	4.2"	3.1"	1.7"	9.1 oz.
Diamondback® HD 2000															
LRF-DB2000	7x	24mm	2000 yds.	1800 yds.	1400 yds.	5 yds.	+/- 1 yd.	+/- 60°	335'	6.4°	16.0mm	4.1"	3.1"	1.8"	7.6 oz.
Crossfire® HD 1400															
LRF-CF1400	5x	21mm	1400 yds.	950 yds.	750 yds.	5 yds.	+/- 1 yd.	+/- 89°	367'	7.0°	16.0mm	4.0"	2.9"	1.3"	4.8 oz.
Triumph® HD 850															
LRF-TRI850	5x	21mm	850 yds.	500 yds.	350 yds.	6 yds.	+/- .5 yds.	+/- 89°	335'	6.4°	13.0mm	3.8"	3.1"	1.4"	4.6 oz.

LASER RANGEFINDING BINOCULAR SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTER RANGE	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	HEIGHT	WIDTH	WEIGHT
Ranger® HD 3000														
LRF-RGR3000	10x42	335'	6.4°	6.0'	17.0mm	55mm - 74mm	+/- 3	3000 yds.	1800 yds.	1500 yds.	6 yds.	6.7"	5.1"	32.4 oz.





VIP WARRANTY

YOU CAN BET ON IT

SOME DAYS, GOLF IS A CONTACT SPORT.



Accuracy YOU CAN BET ON.



ANARCH®

IMAGE STABILIZED LASER RANGEFINDER

READY. STEADY. SCORE.

Whether it's ranging in the wind, from long distance, or a shot that's the difference between winning that side bet and paying up, image stabilization keeps you locked on the pin.

6x22
LRF-ANARCH

IMAGE STABILIZATION | SLOPE MODE | PINSPOTTER™ MODE | TOURNAMENT LEGAL | CART MAGNET | RED DISPLAY



BLADE® SLOPE

LASER RANGEFINDER

THE ONLY SAFE BET ON THE COURSE.

A round of golf has a lot of ups and downs. Fortunately, with slope compensation you can range them all, and LED indicators, keep you tournament legal.

6x21
LRF-BLADE-S

SLOPE MODE | PINSPOTTER™ MODE | TOURNAMENT LEGAL | CART MAGNET



BLADE®

LASER RANGEFINDER

WIN ROUNDS NOW OR BUY ROUNDS LATER.

This pin-hunting device is built to help you hit more greens with incredibly accurate, repeatable ranges for point-and-shoot confidence.

6x21
LRF-BLADE

PINSPOTTER™ MODE | TOURNAMENT LEGAL | CART MAGNET

GOLF LASER RANGEFINDER SPECS

SKU	MAGNIFICATION	DISPLAY TYPE	MAX REFLECTIVE RANGE (UP TO)	FLAG RANGE (UP TO)	MIN RANGE	ACCURACY (@ 100 YARDS)	LINEAR FIELD OF VIEW (@ 100 YARDS)	MEASURING TIME	LENGTH	HEIGHT	WIDTH	WEIGHT
Anarch® Image Stabilized												
LRF-ANARCH	6x	Red Illuminated	1400 yds.	450 yds.	10 yds.	+/- 1 yd.	31.8'	1 Second	4.2"	3.0"	1.6"	9.2 oz.
Blade® Slope												
LRF-BLADE-S	6x	Black LCD	1400 yds.	350 yds.	6 yds.	+/- 1 yd.	37.6'	1 Second	3.9"	3.0"	1.5"	6.5 oz.
Blade®												
LRF-BLADE	6x	Black LCD	1400 yds.	350 yds.	6 yds.	+/- 1 yd.	37.6'	1 Second	3.9"	3.0"	1.5"	6.5 oz.



MONOCULARS



RECON® R/T



RECCE PRO® HD



SOLO® R/T



RANGING MIL/LE

R/T RANGING RETICLE

RECON® R/T
MONOCULAR

- XD™ OPTICAL SYSTEM
- XR™ LENS COATINGS
- UTILITY CLIP
- WINGED EYECUP
- TRIPOD ADAPTABLE

POCKET SIZED SPOTTING SCOPE.

The Recon® R/T is a compact, tactical monocular designed for long-range shooting, hunting, and surveillance. Offering MRAD-based subtensions and secondary quick-ranging silhouettes, it's an ideal tool for manual range estimation, delivering a tactical advantage when you need information fast.



15x50 RT155



SCOUTING RANGING MIL/LE

R/T RANGING RETICLE

RECCE PRO® HD
MONOCULAR

- HD OPTICAL SYSTEM
- XR™ LENS COATINGS
- UTILITY CLIP
- WINGED EYECUP

THE PERFECT SIDEKICK.

Made for tactical shooters and military professionals, the RECCE Pro® HD delivers high-definition clarity and rapid range estimation with its MRAD milling reticle. Compact, lightweight, and built to deploy fast, it's always within reach — helping you lock onto your target quickly and reliably when every shot counts.



8x32 RP-100



SCOUTING RANGING

R/T RANGING RETICLE

SOLO® R/T
MONOCULAR

- SD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- UTILITY CLIP
- WINGED EYECUP

FIND YOUR TARGET. FIND YOUR RANGE.

The Solo® R/T Monocular delivers tactical precision in a light, compact package. With an MRAD milling reticle for quick range estimation, it's built for tactical shooters and hunters who strip their gear down to the essentials. Maximum power in minimal weight, so you can stay sharp at every moment of truth.



8x36 SOL-3608-RT



SCOUTING WILDLIFE OBSERVATION

SOLO®
MONOCULARS

- SD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- ADJUSTABLE EYECUP
- UTILITY CLIP*

*36mm models only

SEE MORE. CARRY LESS.

From bowhunters to backpackers, the Solo® Monocular delivers powerful magnification in an ultra-compact design that's made for anyone who needs to pack light. Slip it into your pocket, clip it securely on your pack, and trust it to bring the details closer while standing up to tough field use.



8x25 S825
8x36 S836
10x25 S105
10x36 S136

VORTEXOPTICS.COM

RECON® R/T



300m–600m; 0.5 MRAD

RECCE PRO® HD



200m–600m; 0.5 MRAD


SOLO® R/T



300m–600m; 1.0 MRAD

R/T RANGING RETICLE

Uses horizontal and vertical MRAD scales for quickly calling distance, sizing targets, and guiding shots to target. Quick-ranging silhouettes make it easy to estimate range to deer- to human-sized targets, and the horizontal subtensions can also be used to measure features like antler spread.



MONOCULAR SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	DIOPTER RANGE	EYECUP STYLE	LENGTH	WEIGHT
Recon® R/T									
RT155	15x50	215'	4.1°	12.0'	16.0mm	+/- 3	Winged	8.0"	15.2 oz.
RECCE Pro® HD									
RP-100	8x32	400'	7.6°	5.0'	14.5mm	+/- 3	Winged	6.0"	10.5 oz.
Solo® R/T									
SOL-3608-RT	8x36	393'	7.5°	16.4'	18.0mm	+/- 4	Winged	5.4"	10.7 oz.
Solo®									
S136	10x36	325'	6.2°	16.4'	15.0mm	N/A	Adjustable	4.9"	9.3 oz.
S836	8x36	393'	7.5°	16.4'	18.0mm	N/A	Adjustable	4.9"	9.7 oz.
S105	10x25	315'	6.0°	16.4'	14.5mm	N/A	Adjustable	4.4"	5.6 oz.
S825	8x25	378'	7.2°	16.4'	15.0mm	N/A	Adjustable	4.4"	5.6 oz.

SPOTTING SCOPES



RAZOR® HD



VIPER® HD



DIAMONDBACK® HD



CROSSFIRE® HD





WESTERN HUNTING | PRECISION LONG-RANGE | COMPETITION

RAZOR® HD
SPOTTING SCOPES

FIND YOUR PEAK®.

Whether glassing for rams above the tree line or calling shots at the range, Razor® HD gives you the optical edge to spot the smallest details. Unmatched resolution, stunning HD clarity, and superior light transmission bring every growth ring, antler tine, and vapor trail into stunning focus. Meticulously constructed and built tough for extreme conditions, Razor® HD ensures you don't miss a single moment, whether on a once-in-a-lifetime hunt or in a high-pressure competition.

13-39x56



Angled RS-56A



Straight RS-56S

22-48x65



Angled RS-65A



Straight RS-65S

27-60x85



Angled RS-85A



Straight RS-85S

- HD OPTICAL SYSTEM
- XR™ PLUS LENS COATINGS
- HELICAL FOCUS
- ARCA-SWISS COMPATIBLE



RETICLE AND WIDE ANGLE EYEPIECES *AVAILABLE*

*SOLD SEPARATELY (85mm & 65mm MODELS ONLY)





WESTERN HUNTING | LONG-RANGE SHOOTING

VIPER® HD
SPOTTING SCOPES

CROSS EVERYTHING OFF YOUR LIST.

Ultra-rugged, remarkably adaptable, Viper® HD helps you thrive where others falter. Designed for every challenge, every game, and terrain — from river bottoms to the Rockies, it delivers bright, sharp images even in the toughest conditions. Whether glassing for game or sighting in at the range, Viper® HD provides the clarity and ultra-rugged construction serious hunters need to create opportunities that lead to success.

11-33x50



Angled VPR-50A



Straight VPR-50S

15-45x65



Angled V500



Straight V501

20-60x85



Angled V502



Straight V503

- HD OPTICAL SYSTEM
- XR™ PLUS LENS COATINGS
- HELICAL AND DUAL FOCUS OPTIONS
- ARCA-SWISS COMPATIBLE



RETICLE EYEPIECE *AVAILABLE*

*SOLD SEPARATELY (85mm MODELS ONLY)



DIAMONDBACK® HD

SPOTTING SCOPES

HUNTING | WILDLIFE OBSERVATION

EVOLUTION NEVER LOOKED SO GOOD.

Designed for workhorse reliability and no-nonsense performance, Diamondback® HD delivers sharp images and excellent low-light capability for gritty, hardworking hunters. Built to go the distance season after season, it helps you excel from open plains to rugged mountains. Diamondback® HD is your trusted ally — finding every flicker of opportunity that distance, shadows, and cover can no longer hide.

- HD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- HELICAL FOCUS
- ARCA-SWISS COMPATIBLE

16-48x65



Angled DS-65A



Straight DS-65S

20-60x85



Angled DS-85A



Straight DS-85S



CROSSFIRE® HD

SPOTTING SCOPES

HUNTING | WILDLIFE OBSERVATION

PUT THE SPOT IN YOUR STALK.

If you love finding game, you'll love spotting more with Crossfire® HD. Clear, reliable, and always ready for action, it combines the simplicity new hunters need with the functionality seasoned hunters expect. Crossfire® HD delivers impressive light transmission and low-light capability. Built with premium materials and a straightforward design, it expands your ability to cover more ground and fill more tags.

- HD OPTICAL SYSTEM
- FULLY MULTI-COATED LENSES
- HELICAL FOCUS
- ARCA-SWISS COMPATIBLE

12-36x50



Angled CF-50A



Straight CF-50S

16-48x65



Angled CF-65A



Straight CF-65S

20-60x80



Angled CF-80A



Straight CF-80S

SPOTTING SCOPE SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	EYEPIECE POSITION	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	LENGTH	WEIGHT
Razor® HD								
RS-85A	27-60x85	Angled	117' - 68'	2.2° - 1.3°	16.4'	16.7mm - 17.0mm	15.5"	65.6 oz.
RS-85S		Straight					16.2"	
RS-65A	22-48x65	Angled	138' - 84'	2.7° - 1.6°	26.2'	16.7mm - 17.0mm	14.8"	56.8 oz.
RS-65S		Straight					15.6"	
RS-56A	13-39x56	Angled	168' - 89'	3.2° - 1.7°	9.2'	15.0mm - 17.8mm	10.4"	28.6 oz.
RS-56S		Straight					11.1"	29.5 oz.
Viper® HD								
V502	20-60x85	Angled	101' - 50'	1.9° - 1.0°	36.0'	17.8mm - 19.6mm	17.5"	76.6 oz.
V503		Straight					18.0"	76.4 oz.
V500	15-45x65	Angled	137' - 68'	2.6° - 1.3°	23.0'	17.8mm - 19.6mm	14.0"	59.0 oz.
V501		Straight					14.6"	58.8 oz.
VPR-50A	11-33x50	Angled	182' - 95'	3.5° - 1.8°	9.0'	16.0mm - 19.0mm	10.3"	27.8 oz.
VPR-50S		Straight					11.0"	27.4 oz.
Diamondback® HD								
DS-85A	20-60x85	Angled	108' - 60'	2.1° - 1.1°	24.6'	18.3mm - 20.3mm	16.0"	60.9 oz.
DS-85S		Straight					15.8"	61.3 oz.
DS-65A	16-48x65	Angled	138' - 72'	2.6° - 1.4°	16.4'	18.3mm - 20.3mm	14.3"	49.8 oz.
DS-65S		Straight					13.7"	50.4 oz.
Crossfire® HD								
CF-80A	20-60x80	Angled	105' - 53'	2.0° - 1.0°	26.0'	18.0mm	15.6"	53.0 oz.
CF-80S		Straight					15.1"	
CF-65A	16-48x65	Angled	131' - 68'	2.5° - 1.3°	16.5'	18.0mm	13.4"	44.1 oz.
CF-65S		Straight					12.9"	44.0 oz.
CF-50A	12-36x50	Angled	173' - 89'	3.3° - 1.7°	13.9'	18.0mm	10.2"	30.3 oz.
CF-50S		Straight			14.5'		9.7"	31.2 oz.



ASK VORTEX®

SCAN TO CALL, EMAIL, OR CHAT

TRIPODS


RADIAN™ CARBON
RADIANT CARBON


SWITCHBACK™ CARBON
SWITCHBACK CARBON

RIDGEVIEW™ CARBON



RADIAN™ CARBON

CARBON FIBER TRIPODS + BALL HEAD OR LEVELING HEAD

THE ULTIMATE IN STABILITY, PRECISION, AND PERSPECTIVE.

Built for serious glassing, shooting, and competition, the Radian™ Carbon offers premium strength in a lightweight design. Carbon fiber legs, Arca-Swiss compatibility, and ball or leveling head options ensure stability and precision for long-range accuracy — whether in the field, at the range, or during a match.



BALL HEAD

TR-RADB



Independent pan movement and tension control with integrated level. 45 degrees of tilt and notches for up to 90 degrees for all the travel you need.



LEVELING HEAD

TR-RADL



Smooth, intuitive controls with rubberized, twist-to-lock/unlock handle. +/-15 degrees of leveling capability guarantee precise positioning.

PRECISION SHOOTING

- BALL HEAD – 55 LBS. MAX LOAD
- LEVELING HEAD – 44 LBS. MAX LOAD
- CARBON FIBER LEG CONSTRUCTION
- ARCA-SWISS HEAD MOUNT
- TWIST LEG LOCKS



SWITCHBACK™ CARBON

CARBON FIBER TRIPOD + BALL HEAD

PACKS LIGHT. ADAPTS FAST. STANDS SOLID UNDER GLASS AND GUN.

Designed for Western hunters and competitive shooters, the Switchback™ Carbon Tripod offers exceptional stability for heavy rifles, binoculars, and spotting scopes. Lightweight, with twist-lock controls for quick setup in any position, it's also Arca-Swiss compatible for seamless transitions between glassing and shooting.



TR-SBC



COMPATIBLE WITH
PRO LEVELING HEAD
Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

*SOLD SEPARATELY
**MUST BE USED WITH SWITCHBACK CARBON™ TRIPOD HEAD ADAPTER, ALSO SOLD SEPARATELY

PRECISION SHOOTING | STAND-UP GLASSING

- LOCKABLE BALL HEAD – 44 LBS. MAX LOAD
- CARBON FIBER LEG CONSTRUCTION
- ARCA-SWISS HEAD MOUNT
- TWIST LEG LOCKS



RIDGEVIEW™ CARBON

CARBON FIBER TRIPOD + PAN HEAD

THE HEIGHT OF STABILITY.

Designed for stand-up glassing, the Ridgeview™ Carbon offers strength and stability for hunting and range spotting without bending or crouching. It supports large spotting scopes and heavy binoculars while staying portable — perfect for those who need steady support in the field or when assisting a shooter at the bench.



TR-RVC



COMPATIBLE WITH
PRO LEVELING HEAD
Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

*SOLD SEPARATELY

STAND-UP GLASSING

- 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- CARBON FIBER LEG CONSTRUCTION
- ARCA-SWISS HEAD MOUNT
- EXTENDED HEIGHT – MAX HEIGHT OF 73.8"
- 1/4-TURN LEG LOCKS



SUMMIT™ CARBON II

CARBON FIBER TRIPOD + PAN HEAD

GO LIGHTER, GO FASTER, GO ANYWHERE.

When every ounce in your pack matters, Summit™ Carbon II keeps you on the move without sacrificing stability. Built for backcountry hunters, it collapses into a compact, packable size. The detachable center column adds flexibility for taller shots or low-angle glassing, delivering support for the toughest hunts, all without weighing you down.



TR-SMC



COMPATIBLE WITH
PRO LEVELING HEAD
Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

*SOLD SEPARATELY

LIGHTWEIGHT HUNTING | SEATED GLASSING

- 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- CARBON FIBER LEG CONSTRUCTION
- ARCA-SWISS HEAD MOUNT
- COMPACT, LIGHTWEIGHT DESIGN
- 1/4-TURN LEG LOCKS



HIGH COUNTRY™ II

ALUMINUM TRIPOD + PAN HEAD

STAND-UP GLASSING | WILDLIFE OBSERVATION

OWN THE HIGH GROUND.

The High Country™ II offers stability and strength for glassing from standing or lying positions. Its aluminum design makes it durable yet packable, supporting larger optics while adapting to any kind of range or field scenario without taking up too much space.



TR-HCY

- 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- ALUMINUM LEG CONSTRUCTION
- ARCA-SWISS HEAD MOUNT
- FLIP LEVER LEG LOCKS



COMPATIBLE WITH
PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

*SOLD SEPARATELY



MOUNTAIN PASS™

ALUMINUM TRIPOD + PAN HEAD

SEATED GLASSING | WILDLIFE OBSERVATION

FOR WHEN YOU'RE NOT JUST PASSING THROUGH.

Whether you're spotting distant targets at the range or searching for game miles from the truck, Mountain Pass™ delivers the perfect balance of packability and dependability — helping you get the most out of every minute you spend glassing.



TR-MTP

- 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- ALUMINUM LEG CONSTRUCTION
- ARCA-SWISS HEAD MOUNT
- FLIP LEVER LEG LOCKS



COMPATIBLE WITH
PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

*SOLD SEPARATELY

TRIPOD ACCESSORIES



RADIAN™ BALL HEAD
TRH-BAL1



RADIAN™ LEVELING HEAD
TRH-LVL1



PRO LEVELING HEAD
TRH-LVL2



PRO RIFLE CLAMP TRIPOD MOUNT
TRA-RIFCLAMP



SWITCHBACK™ CARBON TRIPOD HEAD ADADPTER
TRA-SBCDAP



ARCA-SWISS QUICK-RELEASE PLATE
TRH-LVL2



PRO BINOCULAR ADAPTER
TRA-BINDAP



PRO BINOCULAR ADAPTER
(STUD ONLY)
TRA-BINSTUD



SPORT BINOCULAR ADAPTER
TRA-BINDAP2

TRIPOD SPECS

SKU	HEAD STYLE	WEIGHT	MAX LOAD	HEIGHT (MIN-MAX)	FOLDED DIMENSIONS (HEIGHT X WIDTH)	LEG MATERIAL	LEG SECTIONS	LEG ANGLES	LEG LOCKS	HEAD MOUNT
Radian™ Carbon										
TR-RADB	Ball	7.3 lbs.	55 lbs.	8.3" - 67.3"	28.0" x 6.0"	Carbon Fiber	4	3	Twist	Arca-Swiss
TR-RADL	Leveling	6.1 lbs.	44 lbs.	7.8" - 64.3"	25.5" x 6.0"	Carbon Fiber	4	3	Twist	Arca-Swiss
Switchback™ Carbon										
TR-SBC	Ball	4.6 lbs.	44 lbs.	5.8" - 65.0"	29.0" x 4.0"	Carbon Fiber	3	3	Twist	Arca-Swiss
Ridgeview™ Carbon										
TR-RVC	2-Way Pan	3.2 lbs.	22 lbs.	8.3" - 73.8"	29.0" x 3.2"	Carbon Fiber	3	3	1/4-Turn	Arca-Swiss
Summit™ Carbon II										
TR-SMC	2-Way Pan	2.5 lbs.	22 lbs.	6.3" - 53.3"	18.1" x 3.0"	Carbon Fiber	4	3	1/4-Turn	Arca-Swiss
High Country™ II										
TR-HCY	2-Way Pan	4.0 lbs.	22 lbs.	11.3" - 62.5"	24.3" x 4.0"	Aluminum	3	3	Flip Lever	Arca-Swiss
Mountain Pass™										
TR-MTP	2-Way Pan	3.1 lbs.	22 lbs.	9.0" - 56.0"	19.0" x 4.0"	Aluminum	4	3	Flip Lever	Arca-Swiss



VIP WARRANTY®

WE GOT YOUR BACK.™

UNLIMITED. UNCONDITIONAL. LIFETIME WARRANTY.

Vortex® will repair or replace the product. Absolutely free — no matter the cause.

Does not cover loss, theft, deliberate damage, or cosmetic damage that does not hinder the performance of the product.

GOT A QUESTION? GIVE US A CALL.

When you call Vortex® for help with your optics, you talk to real experts with real experience in finding answers to your questions. They're also pretty darn good for a conversation.

1-800-4VORTEX / info@vortexoptics.com

CAT26

8 43829 15235 8